



27th June 2024

Haryana State Pollution Control Board
C-11, Sector-6, Panchkula,
Haryana – 134109

Subject: Annual Report

Dear Sir,

We are enclosing herewith Annual Report in form IV & Form I pertaining and disposal of bio medical waste at Max Med Centre, Panipat (A unit of Max Healthcare Institute Ltd.,) 77-L, opposite HDFC Bank, Model Town, Panipat, Haryana 132103 for the period from 01.08.2023 to 31.12.2023.


We are also enclosing herewith original yearly collection report for the year 2023 issued by Haat Supreme Wastech Pvt. Ltd.

Thanks

Yours Faithfully,


For Max Med Center Panipat

(A unit of Max Healthcare Institute limited)



Haryana State Pollution Control Board
C-11, Sector 6, Panchkula

Enclosed:

1. Monthly BMW records
2. HAAT SUPREME WASTECH PVT .LTD Waste collection records
3. Authorization under Bio Medical waste management
4. Payment Detail

Form – IV
(See rule
13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S. No.	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or : operator of facility)	:	Girija Ruge Yadav
	(ii) Name of HCF or CBMWTF	:	Max Med Center
	(iii) Address for Correspondence	:	77-L, opposite HDFC Bank, Model Town, Panipat, Haryana 132103
	(iv) Address of Facility	:	77-L, opposite HDFC Bank, Model Town, Panipat, Haryana 132103
	(v) Tel. No, Fax. No	:	49782222
	(vi) E-mail ID	:	ramachandran@maxhealthcare.com
	(vii) URL of Website	:	maxhealthcare.in
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private Med center
	(x). Status of Authorization under the Bio- Medical Waste (Management and Handling) Rules	:	Authorization No.: BMW20KAR7819370 01/10/2020 Valid upto: 30/09/2025
	(xi). Status of Consents under Water Act and Air Act	:	NA
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: NA
	(ii) Non-bedded hospital	:	NA
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	NA
3	Details of CBMWTF	:	
	(i) Number of health care facilities covered by CBMWTF	:	NA
	(ii) No. of Beds covered by CBMWTF	:	Na
	(iii) Installed treatment and disposal capacity of CBMWTF;	:	NA Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	:	275 Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	:	Yellow Category: 25.91kg Red Category: 8.30kg White: 0.50kg Blue Category: 6.00kg General Solid Waste: 00kg
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility		
	(i) Details of the on-site storage	:	Size:

facility		Capacity: Provision of on-site storage : (Cold storage or any other provision)			
(ii)	Disposal facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		Incinerators			
		Plasma Pyrolysis			
		Autoclaves	NA		
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer			
		Sharps			
		Encapsulation or concrete Pit			
		Deep burial Pits			
		Chemical disinfection:			
		Any other treatment equipment:	NA		
		(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	:	Red Category (like plastic, glass, etc.)
(iv)	No. of Vehicles used for collection and transportation of biomedical waste	:	HR56A6247		
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
		Incineration			
		Ash			
		ETP Sludge	NA		
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		HAAT SUPREME WASTECH PVT. LTD		

	(vii) List of member HCF not handed over bio-medical waste.	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NA
7	Details trainings conducted on BMW	6
	(i) Number of trainings conducted on BMW Management	1
	(ii) Number of personnel trained	30
	(iii) Number of personnel trained at the time of induction	NA
	(iv) Number of personnel not undergone any training so far	YES
	(v) Whether standard manual for training is available?	NIL
8	Details of the accident occurred during the year	NIL
	(i) Number of Accidents occurred	NIL
	(ii) Number of persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online mission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	YES
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	

Certified that the above report is for the period from

.....

.....

.....

Name and Signature of the Head of the Institution

Date:

Place:

Bobby Verghese

Bobby Verghese
Senior Vice President & Unit Head
Hospital Operations
Max Super Speciality Hospital
FC-50, C&D Block, Shalimar Bagh
New Delhi-110 088

HAAT SUPREME WASTECH PVT .LTD

NEAR RAILWAY CROSSING ,V.P.O BAZIDA JATTAN , KARNAL

HEAD OFFICE : 316,DEFENCE COLONY ,HISSAR

Email:- Haatsupreme@yahoo.in

AUGUST TO DECEMBER 2023

Centre NAME - Max med Centre , PANIPAT

MONTH	YELLOW (kgs)	RED (Kgs)	BLUE(Kgs)	WHITE(Kgs)
AUGUST	4.20	2.00	0.00	0.00
SEPTEMBER	7.78	1.80	1.00	0.00
OCTOBER	3.00	0.00	0.00	0.50
NOVEMBER	4.48	3.00	0.00	0.00
DECEMBER	6.45	1.50	5.00	0.00
TOTAL	25.91	8.30	6.00	0.50
GRAND TOTAL	40.71			

FOR Haat Supreme Wastech Pvt. Ltd.

Authorized Signatory

Application no. :43850895
Industry id: 23PIT661173
Date: 01/10/2023



HARYANA STATE POLLUTION CONTROL BOARD

SCO-55, Sec.25, HUDA, Panipat Ph. 0180-2672037 Email:-
hspcbopr@gmail.com



No. HSPCB/BMW/2023-2024

Dated 01/10/2023

Authorization No. BMW23PIT43850895

Application No.
43850895

Date of Submission 17/08/2023

BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE UNDER BIO MEDICAL WASTE RULES,2016.

1. M/s :MAX MED CENTRE an occupier or operator of the facility located at 143-L MODEL TOWN PANIPAT, is hereby granted an authorisation for; Generation, segregation,Collection,Packaging
2. M/s MAX MED CENTRE is hereby authorized for handling of Biomedical Waste as per the capacity given below:
 - (i) Number healthcare facilities covered by CBMWTF:
 - (ii) Installed treatment and disposal capacity: Kg/Day
 - (iii) Area or distance covered by CBMWTF:
 - (iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	0.4
	b) Animal Anatomical Waste	
	c) Soiled Waste	
	d)Expired or Discarded Medicines	
	e)Chemical Solid Waste	
	f) Chemical Liquid Waste	
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	
	h) Microbiology, Biotechnology and other clinical laboratory waste	
Red	Contaminated waste (Recyclable)	0.2
White(Translucent)	Waste sharps including Metals	0.1
Blue	Glassware	
	Metallic Body Implants	

3. This authorisation shall be in force till the Hospital is operational.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment

(Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule I.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.
17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incienaration, autoclaving or landfill etc.

Application no. :43850895
Industry id: 23PIT661173
Date: 01/10/2023


19. The yellow Bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April, from any authorised services provider.

Conditions:

4 The Unit will comply BMW Rules 2016 and Environment Protection act 1986. 2 The Unit will submit annual report on or before 30th june every year. 3 If HCF involves in reprocessing of hypo solution & X ray film then HCF will comply with HWOM 2016 rules. 4 Unit will submit latest agreement with service provider before Expiry of Current one 5 Environment Compensation will be imposed on the unit as per CPCB Guidelines (As per Hon'ble National Green Tribunal's Order dated 12.03.2019 in the matter of O.A. 710 of 2017) for Violation of BMW Rules,2016.

HARYANA STATE

Digitally signed by BHUPINDER SINGH
BHUPINDER SINGH
Date: 2023.10.01 12:24:12 +05'30'
Regional Officer, Panipat
Haryana State Pollution
Control Board.



Application no. :7819370
Industry Id: 14KAR639459
Date: 31/07/2020

HARYANA STATE POLLUTION CONTROL BOARD
Regional Office Karnal , 2nd floor of SCO No.78-79 above PNB bank, near
namstay Chowk, karnal,Haryana. Email:- hspcbrkar@gmail.com



No. HSPCB/BMW/2020-2021

Dated 31/07/2020

Authorization No. BMW20KAR7819370

Application No.
7819370

Date of Submission 30/06/2020

BIO MEDICAL WASTE AUTHORIZATION CERTIFICATE
UNDER BIO MEDICAL WASTE RULES,2016.

1. M/s :Haat Supreme Wastech Pvt. Ltd an occupier or operator of the facility located at VPO. Bazida Jattan , Karnal, is hereby granted an authorisation for;
Collection,Storage,Reception,Transportation,Treatment or processing or conversion,Disposal or destruction use
2. M/s Haat Supreme Wastech Pvt. Ltd is hereby authorized for handling of Biomedical Waste as per the capacity given below:
- (i) Number healthcare facilities covered by CBMWTF: 275
- (ii) Installed treatment and disposal capacity: Kg/Day
- (iii) Area or distance covered by CBMWTF:
- (iv) Quantity of Biomedical waste handled, treated or disposed:

Category	Type of Waste	Quantity Generated or collected in Kg/day
Yellow	a) Human Anatomical Waste	650
	b) Animal Anatomical Waste	
	c) Soiled Waste	
	d)Expired or Discarded Medicines	
	e)Chemical Solid Waste	
	f) Chemical Liquid Waste	
	g)Discarded linen, mattresses, beddings contaminated with blood or body fluid	
	h) Microbiology, Biotechnology and other clinical laboratory waste	
Red	Contaminated waste (Recyclable)	35
White(Translucent)	Waste sharps including Metals	50
Blue	Glassware	30
	Metallic Body Implants	

17. The authorization would be subject/having proper disposal system for Bio-Medical Waste.
18. The unit shall maintained a log Book for suggestion/collection of Bio-Medical Waste at the source (i.e.wards) and also for each category of waste i.e.incienaration, autoclaving or landfill etc.
19. The yellow Bags should be non chlorinated bags.
20. The every occupier will also submit the copy of agreement every year before 30th April from any authorised services provider.

Conditions:

- 1. CBWTF will submit Annual Report under BMW Rules, 2016 every year.
2. the CBWTF will comply the regulations of HOWM Rules 2016 as amended till date.
3. The CBWTF will renew the agreement for disposal of their hazz Waste with the service provide before expiry .
4. The HCF will comply with provision of all applicable Acts/Rules/Direction of the Board.

HARYANA STATE

Regional Officer, Karnal
Haryana State Pollution
Control Board.

3. This authorisation shall be in force for CBMWTF from a period of 01/10/2020 To 30/09/2025 Year from the date of issue.
4. This authorisation is subject to the condition stated below and to such other condition as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

TERMS & CONDITIONS OF AUTHORISATION:-

1. The applicants shall comply with the provisions of Bio-Medical Waste Management Rules 2016 notified vide No.S.O. 630(E) dated 20th July,2016
2. Bio-Medical Waste shall be treated & disposed off in Compliance with the standards prescribed in Schedule 1.
3. Every occupier where required shall setup in accordance with the time schedule-IV, requisite treatment Bio-Medical Waste treatment facilities like incinerator,autoclave,microwave system for the treatment of the waste at a common waste treatment facility or any other waste treatment facility.
4. Bio-Medical Waste shall not be mixed with any other waste.
5. Bio-Medical Waste shall be segregated into containers/bags at appoint of generation with Shedule-II prior to its storage, transportation,treatment & disposal.The containers shall be labeled according to Schedule-II.
6. If a container is transported from the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises where Bio-Medical Waste is generated to any waste treatment facility outside the premises, the container shall apart from the label prescribed in schedule III, also carry information according to Schedule IV.
7. Notwithstanding anything contains in Motors Vehicle Act, 1995 or rules there under, untreated the Bio-medical Waste shall be transported only in such vehicle as may be authorised for the purpose by the competent authority as specified by the Govt.
8. No untreated Bio-Medical Waste Shall be kept stored beyond a period of 48 hours.
9. Every authorised person shall maintain records related to the generation, collection, reception, storage, transportation, treatment disposal of Bio-Medical Waste in accordance with those rules & any guideline issued.
10. All records shall be subject to inspection & verifications by the prescribed authority at any time.
11. Suitably designed pollution control devices should be installed/retrofitted with the incinerator to acheive the above emission limits, if necessary.
12. Waste to be incinarated shall not be chemically treated with any chlorinated disinfectants.
13. Chlorinated plastics shall not be incinarated.Toxic metals in incinaration ash shall be limited with the regulatory quantities as defined under the Hazardous Waste Management Rules, 2016.
14. Only low sulphur fuel like L.D.O/L.S.H.S/Deisel shall be used as fuel in the incinarator.
15. Occupier will comply all direction for generation, collection, reception, storage, transportation, treatment, disposal as per Bio-Medical Waste Management Rules 2016 & will ensure that there is no adverse effect to human & Environment.
16. The occupier will segregate the Bio-Medical Waste at the point of generation in accordance with the special-II of Bio-Medical Waste Management Rules, 2016.

