



सत्यमेव जयते

File No: 10760
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment Authority(SEIAA),
UTTAR PRADESH)



Dated: 30/03/2026



To,

Shri Gaurav
M/s CROSSLAY REMEDIES LIMITED
W 3 SECTOR 1 VAISHALI GHAZIABAD, GHAZIABAD, UTTAR PRADESH, , 201012
engg.vsh@maxhealthcare.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding Super Speciality Hospital at Plot No.- W-2, Sector-1, Vaishali, District- Ghaziabad, Uttar Pradesh., M/s Max Super Speciality Hospital (A Unit of Crosslay Remedies Limited).

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Super speciality Hospital at Plot No. W-2, Sector-1, Vaishali, Ghaziabad, Uttar Pradesh submitted to Ministry vide proposal number SIA/UP/INFRA2/559816/2025 dated 02/12/2025.

2. The particulars of the proposal are as below:

(i) EC Identification No.	EC25C3804UP5605206N
(ii) File No.	10760
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vi) Name of Project	Proposed Super speciality Hospital at Plot No. W-2, Sector-1, Vaishali, Ghaziabad, Uttar Pradesh
(vii) Name of Company/Organization	CROSSLAY REMEDIES LIMITED
(viii) Location of Project (District, State)	GHAZIABAD, UTTAR PRADESH
(ix) Issuing Authority	SEIAA
(x) Applicability of General Conditions	no
(xi) Applicability of Specific Conditions	yes

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the SEAC for appraisal under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by SEAC in its meeting held on 19-2-2026 . The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and by products and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEAC meeting are annexed to this EC as Annexure (2).
6. The SEAC, in its meeting held on 19-2-2026 based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (1).
7. The SEIAA in its meeting held on 17-3-2026 has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the SEAC hereby decided to grant EC for instant proposal Gaurav under the provisions of EIA Notification, 2006 and as amended thereof subject to stipulation of specific as detailed in Annexure (1).
8. The SEIAA, U.P. reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. General Instructions:-
- a) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of SEIAA website where it is displayed.
 - b) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.
 - c) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 - d) The project proponent shall also ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deem to be cancelled.
 - e) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
 - f) The SEIAA reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of SEIAA. SEIAA may impose additional environmental conditions or modify the existing ones, if necessary.
11. This issues with the approval of the Competent Authority.

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Environmental Attributes

S. No	EC Conditions
1.1	<ol style="list-style-type: none"> 1. The Project Proponent shall explore the possibility of meeting 10% of the total electricity requirement of the project through solar power, by installing a solar power plant within the project premises. The solar power plant shall be made operational prior to the commencement of project operations. 2. Oxygen generation plant of adequate capacity must be installed in the hospital premises. 3. Dedicated power backup supply to be ensured in operation theaters and other critical areas with the help of installing adequate DG sets, solar energy system etc. 4. Accommodation for attendants to be provided near indoor nursing wards and other suitable places. 5. Hospital must implement a strict Infection Prevention and Control (IPC) program. Maintain separate isolation rooms for infectious or immune-compromised patients. 6. Regular disinfection of wards, ICUs, and operation theatres must be done. 7. Provide separate male and female wards, toilets, and changing areas. Ensure availability of clean linen, proper ventilation, and comfortable bedding. 8. Hospital must be disabled-friendly (ramps, lifts, wheelchairs and signage). Ensure easy access to emergency services, reception, OPDs, and billing counters. 9. Emergency department must be operational 24/7 with qualified staff and equipment. ICU, neonatal care, and operation theatres must be available based on hospital size/type. 10. Ensure availability of essential drugs and diagnostic services at all times. 11. Provide waiting lounges, prayer rooms, and attendant accommodation where feasible. Create a healing environment with natural lighting, noise control, and cleanliness. 12. Laboratory wastes shall be managed in accordance to the BMW Rules, 2016 and the atomic Energy Commission regulations as applicable. 13. Necessary permissions should be sought for use and safe disposal of radioactive materials. Procedural protocol prescribed by competent authority should be followed. 14. Sewage/other effluents from infectious diseases ward and pathology/laboratory should be treated/disinfected separately prior to treatment in Effluent Treatment Plan. 15. Parking space for ambulances shall be exclusively earmarked in the hospital area. Free entry and exits to be maintained. 16. Bio medical waste management shall be followed as per the Bio-Medical Waste (Management and Handling) Rules, 2016. Special attention to be given for Mercury waste management and disposal. Authorization certificate is to be obtained from State Pollution Control Board. 17. The proponent should provide the sufficient electric vehicle charging points as per the requirements at ground level and allocate the safe and suitable place in the premises for the same. 18. Plantation should be proposed as per Miyawaki method i.e. planting different types of trees at very close intervals which give a good green cover. 19. Plan for the green belt development in the project to be implemented. The sapling's height at the time of plantation should be at least 2 metres tall. Regular report of the plantation to be submitted to the forest department and Directorate of Environment 20. Separate wet and dry bins must be provided as per MSW rules in each ward/unit and the temporary facility for segregation of waste in the premises to be provided. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter (OWC). Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. 21. The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria. 22. A third party study report on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies

S. No	EC Conditions
	<p>from toilet seats using recycled treated waters and fresh waters for flushing to be submitted regularly to the District Chief Medical Officer and State Pollution Control Board.</p> <p>23. Project proponent is advised to explore the possibility and getting the cement in a closed container rather through the plastic bag to prevent dust emissions at the time of loading/unloading.</p> <p>24. Project proponent should ensure that there will be no use of “Single use of Plastic” (SuP).</p> <p>25. In compliance to Hon’ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs. GoI and others) anti-smog guns shall be installed to reduce dust during excavation.</p> <p>26. The project proponent will comply the use of fuel for backup power as per guidelines issued by CPCB from time to time.</p> <p>27. The project proponent will ensure that there is no mismatch/deviation between the project proposal submitted to SEIAA for environmental clearance and maps/drawings were approved by concerned development authority. In case of any mismatch/deviation, amended environmental clearance will be obtained by project proponent. In case of failure, the granted environmental clearance shall automatically deem to be cancelled.</p> <p>28. The project proponent shall ensure that the project site does not attract/infringe any buffer zone, wetland zone etc. of no activity identified/declared under law.</p> <p>29. Criteria/ norms provided by competent Authority regarding the seismic zone are followed for construction work. Provision of alarm system, to timely notify the residents, in case of occurrence of earthquake/other natural disasters/fire should be provided. A well-defined evacuation plan should also be prepared and regular mock drills should be arranged for the residents. Rise of stairs should be constructed in a way, so that it should provide smooth movement.</p> <p>30. Project proponent should invest the CER amount as per the proposal and submit the compliance report regularly to the concerned authority/Directorate of environment.</p> <p>31. Proponent shall provide the dual pipeline network in the project for utilization of treated water of STP for different purposes and also provide the monitoring mechanism for the same. STP treated water not to be discharged outside the premises without the permission of the concerned authority.</p> <p>32. The project proponent will ensure full exploitation of potential of rain water harvesting for storage and recharging and also treated wastewater in order to reduce the withdrawal of fresh water and accordingly use the three sources of water supply namely stored rain water, treated wastewater and the fresh water. The project proponent shall also provide a flow measuring device along with flow integrator for monitoring the various sources of water supply namely fresh water, treated waste water and stored harvested rain water.</p> <p>33. The project proponent will ensure the quality of construction water as per standards and specifications of relevant codes in order to prevent possible corrosion in concrete, reinforcements and other structural components in order to avoid adverse social and environmental impacts.</p> <p>34. The project proponent will ensure exploitation of maximum possible potential of solar energy generation in the proposed project area and prefer to use it instead of conventional electricity in order to reduce the Green House Gas Emission causing climate change.</p> <p>35. The project proponent will make necessary arrangement to get Structural auditing conducted by an expert institution once in 05 years during life span of the building to ensure safe life of the residents and prevent environmental and social hazards.</p> <p>36. The project proponent shall plan for storm water management drained with appropriate slope and length so that the flood water could get a passage to release in a short span of time.</p>
1.2	1- The project proponent shall comply all orders/directions of Hon’ble Supreme Court, Hon’ble National Green Tribunal (NGT), Hon’ble High Court and guidelines/OM of the Govt. of India

S. No	EC Conditions
	<p>and Govt. of UP. The project proponent shall obtain all the necessary permissions/ approvals from the concerned Govt. Departments/ Authorities/Organizations.</p> <p>2- Project proponent shall obtain all environmental safeguards from UPPCB in compliance of MoEF&CC OM no. Q-15012/2/2022-CPW(Part-I)/e-231973 dated 08.10.2025 and ensure its compliance.</p> <p>3- Plantation of saplings shall be carried out in green belt area earmarked as per relevant building bye-laws and as a part of tree plantation campaign “Ek Ped Ma Ke Naam” and the details of the same shall be uploaded in the Meri LiFE Portal (https://merilife.nic.in) as per OM no. F.No.IA3-22/3/2024-IA.III (E-241594) dated 24.07.2024.</p> <p>4- The CER activities should be related to mitigation of Environmental Pollution and creating environmental awareness for example creation of water harvesting pits and carbon sequestration parks etc. At least one school in the vicinity of project area should be provided with rooftop solar plant, toilets should be constructed in public place or in school of nearby villages and if there is a girl’s school then girls toilet properly equipped with overhead water tank should be constructed. Name of the school adopted for installation of roof top solar plant should be displayed on the website of project proponent and should also be submitted with periodic compliance report. As part of CER activities, the project proponent shall conduct awareness camps and workshops in nearby habitations regarding maintenance of personal and community hygiene. First aid training should be given to school students in nearby vicinity. Details of such workshops shall be uploaded on the website of project and also submitted along with compliance report.</p> <p>5- The project proponent shall ensure that waste water is properly treated in STP and treated water should be reused for gardening, flushing system, washing etc. For reuse of water, irrigation sprinkler and drip irrigation system shall be installed and maintained for proper functioning. Part of the treated sewage, if discharged to sewer line or into drain, shall meet the prescribed standards for the discharge under Environment Protection Rules and shall be done with necessary permissions from concerned authorities.</p> <p>6- Under any circumstances untreated sewage shall not be discharged to municipal sewer line or any nearby water body or drain.</p> <p>7- The project proponent shall install organic bio converter for safe disposal of municipal solid waste as per the provisions of Solid Waste Management Rules 2016 as amended.</p> <p>8- The effluent from STP after tertiary treatment shall be subjected to ozonation or tertiary treatment to avoid foul smell and adverse impact on receiving environment.</p> <p>9- A certificate signed by an officer not below the rank of ACF shall be obtained that the project does not lie with-in any protected area, National Park, Wild-Life Sanctuary and/or ESZ so declared as per the provisions of Wild-Life Protection Act 1972.</p> <p>10- The project proponent shall obtain prior permission of Ground Water Department, Ministry of Jal Shakti, Uttar Pradesh/ CGWA for using ground water.</p> <p>11- Bio Medical Waste generated as animal waste and in the hospital shall be disposed in nearest CBWTF as per the Govt issued guidelines in this regard and as per the provisions of Bio Medical Waste Management Rules.</p> <p>12- As part of CER activities the project proponent shall conduct awareness camps and workshops in nearby habitations regarding maintenance of personal as well as community hygiene. First aid training should be given to school students in the vicinity of nearby hospital. Details of such workshops shall be uploaded on the website of project and also submitted to SEIAA.</p> <p>13- Waste oil from power generator sets should be disposed as per Hazardous Waste Rules, 2016.</p> <p>14- Important aspects of green building shall be adopted.</p> <p>15- Facilities likes drinking water/ public utilities/lawn should be maintained.</p> <p>17- Provision for charging of electric vehicles as per the guidelines of GoI/GoUP should be implemented.</p>

S. No	EC Conditions
	<p>18- The project proponent shall explore the possibility of maximum solar electrification.</p> <p>19- PP should display EC granted to them on their website.</p> <p>20- EC is granted with the condition that EC is valid only for the building plan which has been submitted and the proposals for seeking EC. In case of any deviation this EC maybe cancelled.</p> <p>21- In compliance to Hon'ble Supreme Court order dated 13/01/2020 in IA no. 158128/2019 and 158129/2019 in Writ petition no. 13029/1985 (MC Mehta Vs GOI and others) anti-smog guns shall be installed to reduce dust during constructions.</p> <p>22- DG sets shall be based on approved fuel only and Guidelines issued by CAQM (Commission for Air Quality Management in NCR region and Adjoining Areas).</p> <p>23- Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.</p> <p>24. In case of violation of any EC conditions, this EC is liable to be cancelled based on report/recommendation of DM/IRO/UPPCB.</p>

Standard EC Conditions for (Building / Construction)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project.
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016,

S. No	EC Conditions
	and the Plastics Waste Management Rules, 2016, shall be followed.
1.10	The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly.

2. Air Quality Monitoring And Preservation

S. No	EC Conditions
2.1	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
2.2	A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site.
2.3	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period.
2.4	Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
2.5	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.
2.6	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.
2.7	Wet jet shall be provided for grinding and stone cutting.
2.8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.
2.9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.
2.10	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
2.11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB

S. No	EC Conditions
	standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
2.12	For indoor air quality the ventilation provisions as per National Building Code of India.

3. Water Quality Monitoring And Preservation

S. No	EC Conditions
3.1	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.
3.2	Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.
3.3	Total fresh water use shall not exceed the proposed requirement as provided in the project details.
3.4	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
3.6	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
3.7	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
3.8	Use of water saving devices/fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
3.9	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
3.10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
3.11	The local bye-law provisions on rain water harvesting should be followed. If local bye-law

S. No	EC Conditions
	provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.
3.12	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.
3.13	All recharge should be limited to shallow aquifer.
3.14	No ground water shall be used during construction phase of the project.
3.15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.
3.16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.
3.18	No sewage or untreated effluent water would be discharged through storm water drains.
3.19	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharged as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted.
3.20	Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
3.21	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

4. Noise Monitoring And Prevention

S. No	EC Conditions
4.1	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction

S. No	EC Conditions
	phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.
4.2	Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
4.3	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.

5. Energy Conservation Measures

S. No	EC Conditions
5.1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.
5.2	Outdoor and common area lighting shall be LED.
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
5.4	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.
5.5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.
5.6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.

6. Waste Management

S. No	EC Conditions
6.1	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.
6.2	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects

S. No	EC Conditions
	of people, only in approved sites with the approval of competent authority.
6.3	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.
6.4	Organic waste compost/Vermiculture pit/Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed.
6.5	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.
6.6	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.
6.7	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials.
6.8	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
6.9	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
6.10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.

7. Green Cover

S. No	EC Conditions
7.1	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).
7.2	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
7.3	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.
7.4	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved

S. No	EC Conditions
	areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

8. Transport

S. No	EC Conditions
8.1	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. d. Parking norms as per local regulation.
8.2	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.

9.

S. No	EC Conditions
9.1	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

10. Human Health Issues

S. No	EC Conditions
10.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
10.2	For indoor air quality the ventilation provisions as per National Building Code of India.
10.3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
10.4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be

S. No	EC Conditions
	removed after the completion of the project.
10.5	Occupational health surveillance of the workers shall be done on a regular basis.
10.6	A First Aid Room shall be provided in the project both during construction and operations of the project.

11. Miscellaneous

S. No	EC Conditions
11.1	The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.
11.2	ii. environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
11.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
11.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
11.5	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
11.6	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
11.7	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
11.8	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.

S. No	EC Conditions
11.9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
11.10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
11.11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP reportand also that during their presentation to the Expert Appraisal Committee.
11.12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).
11.13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
11.14	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
11.15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
11.16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
11.17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
11.18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Annexure- 2

A presentation was made by the project proponent along with their M/s Ind Tech House Consult to SEAC on 19-2-2026.

Project Details Informed by the Project Proponent and their Consultant

The project proponent, through the documents and presentation gave following details about their project –

1. The environmental clearance is sought for Super Speciality Hospital at Plot No.- W-2, Sector-1, Vaishali, District- Ghaziabad, Uttar Pradesh., M/s Max Super Speciality Hospital (A Unit of Crosslay Remedies Limited).
2. The Plot area of the project is 4000 m² and the built-up area will be 25481.97 m².
3. Number of beds will be 204 Nos. and number of blocks will be 1 no.
4. Expected population will be 2304 Nos.
5. Maximum number of floors will be 3B+G+10 and maximum height of the building will be 44.85 m.
6. Estimated cost of project is Rs. 122 Crores.
7. Salient features of the project:

Sl. No.	Description	Quantity	Unit
GENERAL			
1.	Plot Area	4000	SQMT
2.	Proposed Built Up Area	25481.97	SQMT
3.	Number of Beds	204	No.
4.	Number of Blocks	1	No.
5.	Max Height of Building	44.85	M
6.	Max No of Floors	3B+G+10	No.
7.	Cost of Project	122	CR
8.	Population	2304	No.
9.	Project Activity: Hospital		
AREAS			
10.	Proposed Total Ground Coverage Area (39.72%)	1,589.10	SQMT
11.	Max. Permissible FAR Area - 5.00 (Base F.A.R 2.50 + Purchasable F.A.R 2.50)	20,000	SQMT
12.	Proposed FAR Area	15491.03	SQMT
13.	Total Non-FAR area	9990.94	SQMT
14.	Proposed Total Built Up Area	25481.97	SQMT
WATER			
15.	Total Water Requirement	323.7	KLD
16.	Fresh water requirement	158.1	KLD
17.	Treated Water Requirement	165.6	KLD
18.	Waste water Generation to STP	179.5	KLD
19.	Waste water Generation to ETP	15.6	KLD
20.	Proposed Total Capacity of STP	215	KLD
21.	Proposed Capacity of ETP	20	KLD
22.	Treated Water Available for Reuse from STP	170.5	KLD
23.	Treated Water Available from ETP	15	
24.	Surplus treated water to be discharged in Municipal Sewer including the treated water from ETP	20	KLD
RAIN WATER HARVESTING			

25.	RWH Pits Proposed	1	no.
PARKING			
26.	Total Parking Required as / Building Bye Laws	186	ECS
27.	Proposed Total Parking	188	ECS
28.	Parking in Basement 2 (Triple Stack)	84	ECS
29.	Parking in Basement 3 (Triple Stack)	99	ECS
30.	Ambulance Parking Bays on Surface	5	ECS
GREEN AREA			
31.	Required Green Area (20 % of plot area)	800.00	SQMT
32.	Proposed Green Area (Softscape) (15.7 % of plot area)	626.50	SQMT
33.	Proposed Green Area (Hardscape) (5.7 % of plot area)	228.9	SQMT
WASTE			
34.	Total Solid Waste Generation	594.17	kg/day
35.	Organic waste	279.26	kg/day
36.	Bio-Medical Waste	215	kg/day
ENERGY			
37.	Total Power Requirement	1711	KVA
38.	DG set backup	3000	KVA
39.	No. of DG Sets	2x1500 kVA	No.

8. Water requirement details:

Description	Population	Factor in LPCD		Total	Fresh Water Requirement (Litre)	Recycling water requirement (Litre)
		Domestic	Flushing			
	A	B	C	D	(A x B)	(A x C)
Patients	204	300	150	91,800	61,200	30,600
Staff & Visitors	500	25	20	22,500	12,500	10,000
OPD	1,500	10	5	22,500	15,000	7,500
Daycare/ Diagnostics	100	90	45	13,500	9,000	4,500
Lab/CSSD/etc ETP	L.S	12,000	0	12,000	12,000	0
Kitchen	L.S	30,000	0	30,000	30,000	0
Dialysis ETP	Lot	6,400		6,400	6,400	0
Back wash water of (MGF/ACF)	L.S	12,000		12,000	12,000	
Total (X) (Fresh water)					1,58,100	52,600
Gardening	Lot					3,000
HVAC System	Lot					1,00,000
Water cooled DG sets	Lot					10,000
Total (Y) (Flushing/ Recycled water)						1,65,600
Grand Total (X+Y)					3,23,700 Litre	

9. Waste water details:

- Estimated waste water Generation to the STP & ETP will be 179.5 KLD & 15.6 KLD respectively.
- Wastewater will be treated in onsite STP of 215 KLD & onsite ETP of 20 KLD.
- 165.6 KLD Treated wastewater will be reuse/recycled in Flushing, HVAC Cooling, DG cooling and Gardening
- 20 KLD of surplus treated water will be discharge into municipal sewer with prior permission.
- Proposed treatment methodology : STP - MBR

10. Landscape plan:

Plot Area	4000 sqm
Required Green Area (20 % of total plot area)	800.00 sqm
Proposed Green Area Softscape (15.7 % of total plot area)	626.50 sqm
Proposed Green Area Hardscape (5.7 % of total plot area)	228.9 sqm
Required No of Trees	50 Nos.
Proposed No. of trees	55 Nos.

11. Action Plan (modified as per during meeting) as per Ministry's O.M. dated 30/09/2020:

S. No.	Expenditure	Location	Total	1 st year (Lacs)	2 nd year (Lacs)	3 rd Year (Lacs)	4 th Year (Lacs)	5 th Year (Lacs)
1	<p>Infrastructure Improvement</p> <p>Renovation of classrooms (painting, flooring, plastering).</p> <p>Repair/upgrade of toilets and hand washing stations.</p> <p>Provision of clean drinking water facilities (RO + water cooler).</p> <p>Boundary wall or repairs for school safety.</p> <p>Installation of solar street lights or rooftop solar panels.</p> <p>2. Educational Support</p> <p>Providing desks, benches, chairs, blackboards/whiteboards</p> <p>Setting up a digital classroom with projector, screen, or smart TV.</p> <p>Establishing a school library with age-appropriate books.</p> <p>Providing sports equipment (football, cricket kit, badminton, etc.).</p> <p>3. Digital & Learning Enhancement</p> <p>Setting up computer lab</p>	<p>Primary School in Karkar Mandan and Govt primary school in the Makanpur in consultation with BSA/DIOS</p>	50	15	10	10	10	5

	with 2–5 basic systems. Internet/Wi-Fi support for digital learning (if feasible). E-learning content for primary school subjects.							
2.	Pond Rejuvenation	Pond at Village Makanpur in consultation with District Administration	60	-	30	30	-	-
3	Installation of High-efficiency Solar-powered Led Streetlights Across Key village Roads And Public Areas.		25	10	5	5	5	0
4	Conducting Environment Awareness Workshop In Schools Of Villages, Arrange Environment Awareness And Distribution Of Education Material	In Village Maharajpur, and Surya Nagar in consultation with BSA/DIOS	30	10	5	5	5	5
5	Development of carbon sequestration parks-plantation of native trees	In Village Khora, and Mohan Nagar in consultation with BSA/DIOS	20	5	5	5	5	0
Total			185	40	55	55	25	10

12. The project proposal falls under category–8(a) of EIA Notification, 2006 (as amended).

Copy, through email, for information and necessary action to –

1. **Principal Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – psforest2015@gmail.com)**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – sudheer.ch@gov.in)**
3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – rocz.lko-mef@nic.in)**
4. **District Magistrate, Ghaziabad.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.in)**
6. **Copy for Guard File.**

**(Manish Mittal (IFS))
Member Secretary, SEIAA**