

**By Speed Post**

No. 21- 333/2008-IA .III  
Government of India  
Ministry of Environment and Forests  
(I.A. Division)

Paryavaran Bhawan,  
CGO Complex, Lodhi Road  
New Delhi 110510  
Dated: March 06, 2009

To


✓  
**M/s. Malsi Projects and Planners**  
Max house, Okhla,  
New Delhi 110 020

**Subject: Environmental Clearance for proposed construction of hospital,  
hotel and convention center at Tapkeswar, Dehradun.**

Dear Sirs,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 2006. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz. the Form 1, Form 1A, conceptual plan and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its 33<sup>rd</sup>, 34<sup>th</sup> and 35<sup>th</sup> meetings held on September 12, December 12 2008 and February 21, 2009 respectively.

2. The project proponent is proposing for construction of hospital, hotel and convention center at Tapkeswar, Dehradun, Uttaranchal at a cost of Rs. 150 crore. The project involves construction of 200 beds hospital building and 117 rooms hotel building with ground plus four floors. The total plot area is 1,01,171.41 sq. m. Total built up area as indicated is 5,60,000 sq. m. for hotel and 19,981 sq.m for hospital. Total water requirement will be 484 KLD including recycled water and 240 KLD of wastewater will be generated from the hotel and hospital which will be treated separately in two sewage treatment plants. The treated wastewater will be used for flushing, cooling and horticulture purpose. The solid waste generated from the towers will be 800 Kg/day. The solid waste will be segregated in to biodegradable and non-biodegradable waste. The recyclable solid waste will be handed over to authorized vendors for recovery of recyclable material and biodegradable garbage will be composted and used as manure in the area.. The bio medical waste of 75 kg/day will be processed as per

  
डा० के० सी० राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi


bio-medical waste ( handling & Management) rules. The parking space proposed for parking of cars in Hotel is 478 ECS and 270 ECS for Hospital.

3. The EAC after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry hereby accords necessary environmental clearance for the project under category 8 (a) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:


## PART A- SPECIFIC CONDITIONS

### I. Construction Phase

- i. Vehicles hired for construction activities should be operated only during non-peak hours.
- ii. All the top soil excavated during construction activities should be stored for use in horticulture/landscape developments within the project site.
- iii. Ready mixed concrete shall be used in building construction.
- iv. Water demand during construction shall be reduced by use of pre mixed concrete, curing agents and other best practices.
- v. Permission to draw and use ground water for construction work shall be obtained from competent authority prior to construction/operation of the project.
- vi. Fixtures for showers, toilet, flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- vii. Use of glass may be reduced upto 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- viii. Roof should meet the prescriptive requirement as per energy conservation building code by using appropriate thermal insulation material to fulfill requirement.
- ix. Opaque wall should meet prescriptive requirement as per energy conservation building code which is proposed to be mandatory for all air conditioned spaces while it is aspirational for non air conditioned spaces by use of appropriate thermal insulation to fulfill requirement.
- x. Storm water control and its reuse should be as per Central Ground Water Board and BIS standards for various applications.
- xi. All required sanitary and hygienic measures including portable toilets/septic tank etc. for labour should be in place before starting

  
डा० के० सी० राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

- construction activities and to be maintained throughout the construction phase.
- xii. Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.
- xiii. A First Aid Room will be provided at the project site both during construction and operation of the project.
- xiv. Adequate drinking water facility should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- xv. Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.
- xvi. Diesel power generating sets used during construction phase should be of "enclosed type" to prevent noise and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.
- xvii. Ambient noise levels should conform to standards both during day and night when measured at boundary wall of the premises. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- xviii. The construction agencies shall use flyash based material/ products as per the provisions of fly ash notification of 14.9.1999 and as amended on 27.8.2003.
- xix. Vehicles hired for bringing construction material at site should be in good condition and should have valid "pollution under check"(PUC) certificate and to conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- xx. Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.
- xxi. Any hazardous waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the State Pollution Control Board.
- xxii. Under the provisions of the Environment (Protection) Act 1986, legal action shall be initiated against the project proponent if it was found that construction of the project had started without obtaining environmental clearance.
- xxiii. The diesel required for operating DG Set shall be stored in underground tanks and if required, clearance from the Chief Controller of Explosives shall be taken.
- xxiv. The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of

  
डा० के० सी० राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

- fire fighting equipments etc. as per National Building Code including protection measures from lightning etc.
- xxv. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to avoid disturbance to the surroundings.

## II. Operation Phase

The environmental clearance recommended to the project is subject to the specific conditions as follows:


- i. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of "enclosed type" and conform to rules made under The Environment (Protection) Act 1986. The location of DG Set may be decided in consultation with State Pollution Control Board.
- ii. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- iii. Noise should be controlled to ensure that it does not exceed the prescribed standards.
- iv. Weep holes in the compound walls shall be provided to ensure natural drainage of rainwater in the catchment area during the monsoon period.
- v. The STP shall be installed for the treatment of sewage generated from hotel and hospital separately to the prescribed standards including odour and treated effluent will be re-cycled to the maximum extent possible. In case treated effluent is to be discharged separately during monsoon period consent of State Pollution Control Board shall be taken.
- vi. Separation of gray and black water should be done by the use of dual plumbing line. Treatment of 100% gray water by decentralized treatment should be done.
- vii. For disinfection of wastewater ultra violet radiation shall be used in place of chlorination.
- viii. Rainwater harvesting and ground water recharging shall be practiced. Oil & Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank before its utilization for rainwater harvesting.
- ix. The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to approved sites for land filling after recovering recyclable material. The Bio medical waste shall be processed as per biomedical waste (Handling and Management ) Rules
- x. The open spaces inside the plot should be preferably landscaped and covered with vegetation of indigenous variety. Green belt

अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

- width and density will be provided all around the periphery of the plot preferably with local species to reduce noise and dust level.
- xi. The ground water levels and its quality should be monitored regularly in consultation with Central Ground Water Authority.
  - xii. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.
  - xiii. The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.
  - xiv. Energy conservation measures like installation of CFLs/FLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs & FLs should be properly collected and disposed of/sent for recycling as per the prevailing rules/ guidelines/ standards issued by the regulatory authority to avoid Mercury contamination. Use of solar panels may be done to the extent possible.
  - xv. The buildings should have adequate distance between them to allow movement of fresh air and passage of light to the premises.
  - xvi. Adequate measures should be taken to prevent odour problem from solid waste processing plant as also from STP.

#### **PART – B. GENERAL CONDITIONS**

- i) The environmental safeguards contained in the documents should be implemented in letter and spirit.
  - ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.
  - iii) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.
  - iv) The compliance status of conditions of this clearance shall be uploaded on the web site of the company together with Environment clearance letter and also monitoring results of key parameters shall be displayed in the project premises/ entrance gate at a prominent place.
4. Officials from the Regional Office of MOEF, Lucknow who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Lucknow. All information pertaining to the monitoring of key parameters and compliance report with respect to the EC conditions shall be sent to the regional office by e-mail for uploading on their web site.



डॉ० के० सी० राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

5. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.


6. The Ministry reserves the right to modify/add additional environmental safeguards subsequently, if found necessary. Environment Clearance granted will be revoked if it is found that false information has been given for approval of the project.

7. Necessary permission shall be obtained from the State Fire Department for providing fire safety measures before allotment of premises. If any forestland is involved in the proposed site, clearance under the Forest Conservation Act, 1980 from the Competent Authority shall be taken.

8. These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986 and the Public Liability (Insurance) Act, 1991.

9. The project proponent shall enter in to MOU with all buyers of the property to ensure operation and maintenance of the STP and other assets.

10. Any appeal against this environmental clearance shall lie with the National Environment Appellate Authority, if preferred, within a period of 30 days as prescribed under section 11 of the National Environment Appellate Act, 1997.




(K.C. RATHORE)

Additional Director (IA)

Copy to:

1. The Secretary, Department of Environment & Forests, Government of Uttarakhand, Civil Secretariat, Dehradun.
2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Shahadra, Delhi- 110032
3. The Chairman, SEIAA, Department of Environment, Government of Uttarakhand, Civil Secretariat, Dehradun.
4. The Member Secretary, Uttarakhand Environment Protection & Pollution Control Board, 6<sup>th</sup> Vasant Vihar, Phase-I, Dehradun
5. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector 'H', Aliganj, Lucknow - 226 020.
6. IA - Division, Monitoring Cell, MOEF, New Delhi - 110003.
7. Guard file.



डॉ. के. सी. राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन मंत्रालय  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

(K.C. RATHORE)  
Additional Director (IA)

**By Speed post**

No 21-333/2008-IA III  
Government of India  
Ministry of Environment and Forests

Paryavaran Bhawan,  
CGO Complex, Lodhi Road  
New Delhi 110 510  
Dated. 15<sup>th</sup> April, 2009


**Corrigendum**

Attention is invited to this Ministry's environmental clearance letter dated 06.3.2009 issued for proposed Construction of hospital, hotel and convention centre at Tapkeswar, Dehradun.

The following corrections may be incorporated in the clearance letter of the Company:

**For para 2:** The project proponent is proposing for construction of hospital, hotel and convention center at Tapkeswar, Dehradun, Uttaranchal at a cost of Rs. 150 crore. The project involves construction of 200 beds hospital building and 117 rooms hotel building with ground plus four floors. The total plot area is 1,01,171.41 sq. m. Total built up area as indicated is 5,60,000 sq. m. for hotel and 19,981 sq.m for hospital. Total water requirement will be 484 KLD including recycled water and 240 KLD of wastewater will be generated from the hotel and hospital which will be treated separately in two sewage treatment plants. The treated wastewater will be used for flushing, cooling and horticulture purpose. The solid waste generated from the towers will be 800 Kg/day. The solid waste will be segregated in to biodegradable and non-biodegradable waste. The recyclable solid waste will be handed over to authorized vendors for recovery of recyclable material and biodegradable garbage will be composted and used as manure in the area. The bio medical waste of 75 kg/day will be processed as per bio-medical waste ( handling & Management) rules. The parking space proposed for parking of cars in Hotel is 478 ECS and 270 ECS for Hospital.

**Read para 2:** The project proponent is proposing for construction of hospital, hotel and convention center at Malsi, Mussoorie Diversion Road, Dehradun, Uttaranchal at a cost of Rs. 150 crore. The project involves construction of 200 beds hospital building and 117 rooms hotel building with ground plus four floors. The total plot area is 1,01,171.41 sq. m. Total built up area as indicated is 5,60,000 sq. m. for hotel and 19,981 sq.m for hospital. Total water requirement will be 484 KLD including recycled water and 240 KLD of wastewater will be generated from the hotel and hospital which will be treated separately in two sewage treatment plants. The treated wastewater will be used for flushing, cooling and horticulture purpose. The solid waste generated from the towers will be 800 Kg/day. The solid waste will be segregated in to biodegradable and non-biodegradable waste. The recyclable solid waste will be handed over to authorized vendors for recovery of recyclable material and biodegradable garbage will be composted and used as manure in the area. The bio medical waste of 75 kg/day will be processed as per bio-medical waste (handling & Management) rules. The parking space proposed for parking of cars in Hotel is 478 ECS and 270 ECS for Hospital.

  
डा. के.सी. राथोर / Dr. K.C. Rathore  
अवर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन विभाग  
Min. of Env. & Forests  
नई दिल्ली / New Delhi

  
(K.C. RATHORE)  
Additional Director (IA)

To

**M/s. Malsi Projects and Planners**  
Max house, Okhla,  
New Delhi 110 020

Copy to:

1. The Secretary, Department of Environment & Forests, Government of Uttarakhand, Civil Secretariat, Dehradun.
1. The Chairman, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Shahadra, Delhi- 110032
2. The Chairman, SEIAA, Department of Environment, Government of Uttarakhand, Civil Secretariat, Dehradun.
3. The Member Secretary, Uttarakhand Environment Protection & Pollution Control Board, 6<sup>th</sup> Vasant Vihar, Phase-I, Dehradun
4. The CCF, Regional Office, Ministry of Environment & Forests, RO(CZ), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector 'H', Aliganj, Lucknow - 226 020.
5. IA - Division, Monitoring Cell, MOEF, New Delhi - 110003.
6. Guard file

*Attended*

*K. K. Rathore*

डॉ० के० सी० राठोड़ / Dr. K.C. Rathore  
अपर निदेशक / Additional Director  
I.A. Div. पर्यावरण एवं वन संरक्षण  
Min. of Env. & Forests  
नई दिल्ली / New Delhi