

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	SIA/DL/INFRA2/418770/2023
Compliance ID	492998778
Compliance Number(For Tracking)	EC/M/COMPLIANCE/492998778/2025
Reporting Year	2025
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	20-11-2025
RO/SRO Name	Shri Satya Prakash Negi
RO/SRO Email	jhk119@ifs.nic.in
State	DELHI
RO/SRO Office Address	Integrated Regional Offices Lucknow
Note:- SMS and E-Mail has been sent to Shri Satya Prakash Negi, DELHI with Notification to Project Proponent.	

Date-18-11-2025

To,
The Director (S)
Ministry OF Environment, Forest& Climate Change (MoEF&CC)
Regional Office (Central Region)
Kendriya Bhawan, 5th Floor, Sector- H,
Aliganj, Lucknow
Uttar Pradesh.

Subject: Submission of half-yearly compliance report in respect of stipulated conditions of Environmental Clearance

Reference; - Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

Dear Sir,

We are pleased to submit the point-wise compliance report against the stipulated conditions of the Environmental Clearance for the proposed expansion of Vikrant Children Foundation and Research Centre, Plot No. 3, Press Enclave Road, Saket, Delhi-110017. This report covers the period from April 2025 to September 2025.

We kindly request you to acknowledge the submission.

Thanking you.



Yours Faithfully
For VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE

CC-

1. The Member Secretary, State Environmental Impact Assessment Authority (SEIAA) - Delhi
Office of Delhi Pollution Control Committee, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006
2. The Environment Engineer, Delhi Pollution Control Committee, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006

Encl- As above

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

**Half Yearly compliance report for the period of
April-25 to Sep-25**

For

**VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi
110017**

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

Point wise compliance status of stipulated conditions of Environmental Clearance;

I. Part A-Specific Conditions- Construction yet to start.

S. N.	Conditions	Status of Compliance
i 1	The project proponent should implement the guidelines/mechanism for using Anti-smog gun in construction and demolition projects having built up area greater than 20000 sqm issued by Department of Environment, NCR of Delhi vide letter no.F.No.DPCC/(12)(1)(285)lab2020/2790 dated 16.09.2021 available at https://dustcontroldpcc/delhi.gov.in/upload/guidelinespdf/43/filepdf/43/723774.pdf . Read along-with guidelines of CPCB. Besides use of anti smog gun the project proponent shall ensure that environment friendly dust suppressant and the soil stabilizing chemical would be sprayed at prescribed interval on unpaved area of the construction sites to agglomerate the fine dust particles into aggregate too large to become airborne. This must be done in all those areas where there is movement of trucks and other construction machinery at frequent intervals.	Noted and will be ensured. Construction work to be started.
2	The project proponent shall register the project on the Web Portal for online remote monitoring by the agencies concerned and deploy anti-smog guns in proportion to the area of construction site as prescribed vide direction no 69 dated 02.11.2022 issued by Commission for Air Quality Management (CAQM)	Noted and will be ensured. Construction work to be started
3	The project proponent shall install reference-grade (USEPA approved system) continuous particulate monitoring system consisting of three nodes capable of monitoring dust emission from the construction site. The system must have the capacity for simultaneous monitoring of PM2.5 and PM 10 and equip for data transfer on a real time basis to the server of DPCC	Noted and will be ensured. Construction to be started.
4	Green building norms should be followed with a 5-star GRIHA/IGBC/ASSOCHAMGEM rating or other equivalent recognized standard.	We proposed for IGBC gold rated building. Green building design certificate is attached as annexure-1 .
5	The project proponent shall install the gas-based generators for power back up	We will install the DG sets only for backup purposes, and these will be retrofitted with approved emission-control devices.
6	Treated water of nearby Max Hospital STP should be used for construction purposes with tertiary treatment of	Noted and will be ensured. Construction to be started.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	treated water of nearby Max Hospital to ensure it is fit for construction purpose.	
7	The treated waste water through STP shall achieve the effluent standard; pH; 6.5-9.0, BOD (5 mg/l), Oil and grease (10 mg/l), Dissolved phosphate as P (1 mg/l), Fecal coliform (MPN/100 ml), Desirable 100 permissible-230, COD- 30 mg/l and bioassay as 90 % of survival of fish after 96 hrs in 100 % effluent, Ozonation be adopted for disinfection.	Noted and will be ensured.
8	The project proponent shall adhere to the total water requirement -480 KLD, fresh water requirement -229 KLD, Treated water requirement -251 KLD (for recycling in flushing (75 KLD), HVAC (140 KLD), gardening (36 KLD)	Noted and will be ensured.
9	The project proponent should adhere to the cost of environmental monitoring as committed i.e. capital cost of Rs. 68.5 lacs and recurring cost of Rs 12.86 lacs/year during the construction phase and capital cost of Rs 225.87 lacs and recurring cost of Rs 44.77 lacs/year during operation phase.	Noted and will be ensured.
10	Formal approval shall be taken from the DJB/CGWA for any ground water abstraction of dewatering. The project proponent shall adopt suitable measures for controlling ground water backing up around basements	This will be ensured.
11	At least 5.7% (i.e., 167 kWp) of the total energy demand to be sourced from Solar (Renewable) energy as committed and try to achieve upto 10% of the total energy demand from Solar (Renewable) energy.	Noted and will be ensured.
12	No. of Rain water harvesting pit shall be no.5 and storage tank of capacity of min. 1 day of total fresh water requirement. Boring for Rain Water Harvesting system should not be permitted/ done before completion of structure work. All recharge should be limited to shallow aquifer. Depth of boring should leave a buffer of at least 5 m above ground water table.	This will be ensured.
13	The excavated soil from the project shall be disposed by engaged agency within 10 km radius of the project site.	This will be ensured
14	The Environment Management Cell consisting of 01 Unit Head operations, 01-GM operations, 01 AGM-Environment, 01 Chief Engineer shall be created as committed and made functional before commissioning of the proposed development.	Yes and will be ensured during construction phase as well as operational phase.
15	Minimum 1 tree for every 80 Sq. Mt of plot area (177 nos) should be planted within the project site.	This will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

16	PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places. PP to ensure that this should be provided in AC/DC combination. In additions, provision should be made to allow extension of electric charging facility to all parking slots in the future.	This will be ensured.
17	IOT based flow Meters/ Sensors should be installed to monitor consumption of fresh water as well as treated water and log boom for these flow meters be maintained in a regular manner. Flow meter shall be installed at Inlet of STP, outlet of STP, inlet of flushing tanks, inlet of cooling water tanks and reuse line for horticulture purposes and at the outfall/ sewer connection to be provided only for emergency discharge purposes with prior intimation to regularly authority. Calibration for all the Flow meters shall be maintained on quarterly basis	This will be ensured.
18	Construction & Demolition waste should be disposed of at authorized C&D waste collection centre/ processing unit	This will be ensured. Construction to be started.
19	Wind- breaker of appropriate height i.e., 1/3 rd of the building height and maximum up to 10 meters shall be provide all around the project site before the start of construction and demolition work	This will be ensured. Construction to be started.
20	The project Proponent should take measures for control of Dust Pollution during construction phase in the Environment Management Plan by taking measures as per MoEF&CC Notification No. GSR 94 (E) dated 25.01.2018/ Hon'ble National Green Tribunal order in O.A No. 21 Of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & others, CAQM/CPCB/DPCC extant statutory orders/guidelines/directions issued time to time including registration/ self-audit on Dust Pollution Control Self-Assessment Portal with provision of video fencing and low cost sensors for monitoring PM 2.5, PM 10.	This will be ensured. Construction to be started.
21	Project proponent shall be responsible for establishments, operation and maintenance of all common facilities and also for compliance of EC conditions during operation stage	This will be ensured. Construction to be started.
22	The cost of Environment Management Plan should be distinctly allocated in the budget of the budget of the project and details of the same along with time frame of	This will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	the implementations should be reported in six monthly monitoring reports.	
23	In view of MoEF&CC Office Memorandum No. 21-270/2008-IA.III dated 19.06.2013 read with MoEF&CC Office Memorandum No. 22-154/2015-IA.III 10.11.2015, this environmental clearance is granted focusing only on the environment concerns. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations.	Noted and will be ensured.
24	The Environmental Clearance is subject to the condition that concerned local civic agencies will give the permission for use/ occupation of the building only after the written assurance of DJB/ New Delhi Municipal Council/ other such local civic authority (as the case may be) regarding supply of adequate water for the residents/ occupiers	Noted
25	Grant of environmental clearance does not necessarily implies that water/ power supply shall be considered by the respective authorities on their merits and decision taking	Noted
26	The investment made in the projects, if any, based on environmental clearance so granted, in anticipation of the clearance from water/ supply angle shall be entirely at the cost and risk of the project proponent and SEAC/SEIAA, Delhi shall not be responsible in this regard in any manner	Noted
27	As proposed, fresh water requirements from DJB shall not exceed 229 KLD. Occupancy Certificate shall be issued only after getting necessary permission for required water supply from DJB/ concerned Authority	Noted and will be ensured.
28	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/ reused for flushing, AC makeup water and gardening	Noted and will be ensured.
28	The PP Shall provide toxic gas (Combustible gas, Carbon dioxide and Hydrogen Sulphide, Methane, VOCs, Ammonia) detectors for STP area.	Noted and will be ensured.
29	Energy audit shall be carried out periodically to review energy conservation measures.	Noted and will be ensured.
30	Climate responsive design as per Green Building Guidelines in practice should be ensured to the maximum extent	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

31	Vegetation should be adopted appropriately on the ground as well as over built structures such as roofs, basements podiums etc.	Noted and will be ensured.
32	Green belt development surrounding the campus, avenue tree planting and garden developments should commence from the beginning of the construction phase. Only indigenous species should be used for green belt and avenue trees.	Noted and will be ensured.
33	Exposed roof area and covered parking should be covered with material having high solar reflective index.	Noted and will be ensured.
34	Building design should cater to the differently- abled citizens.	Noted and will be ensured.
35	PP shall keep open space unpaved to the maximum extent possible so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.	Noted and will be ensured.
36	All the vibrating parts will be checked periodically and serviced to reduce the noise generation and sound producing equipment's.	Noted and will be ensured.
37	Construction activities will be allowed only during day-time period.	Noted and will be ensured.
38	Lubrication will be carried out periodically for plant machinery.	Noted and will be ensured.
39	Bio medical waste should be segregated separately to ensure that no bio medical waste leachate should enter in the Rain water harvesting system.	Noted and will be ensured.
40	Advanced oxidation process should be used in STP and ETP to ensure proper treatment of drug residues and its metabolites.	Noted and will be ensured.
41	PP shall adopt proper management strategy for Bio-medical waste/ Liquid effluent as per Bio-Medical Waste Management Rules, 2016 and relevant guidelines of MoEF&CC/CPCB.	Noted and will be ensured.
42	Bills/Receipt issued by DJB against purchase of treated water from STP should be part of six-monthly EC	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	compliance reports. Bills issued by private agency for supply water will not be sufficient.	
43	During construction phase, only drinking water required by the labourers and the other fresh water requirement for Anti- Smog Gun is allowed to be supplied through tankers	Noted and will be ensured. Construction work yet to be started
44	Sensors to measure ground water level/Piezometers certified by CGWB should be installed by the PP immediately. These piezometers should have lot facility and send data to the server for storage. Weekly data from piezometer should be submitted along with EC compliance report. Calibration of these sensors should be done once in 6 months. Data of these piezometers should be also be A) Highlighted on PP website with monthly updation B) Shared with DJB (ground water division) on quarterly basis.	Noted and will be ensured. Construction work yet to be started

B. STANDARD CONDITIONS:

II Statutory Compliance

i)	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws	Noted and will be ensured. Construction work yet to be started
ii)	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc	Noted and will be ensured. Construction work yet to be started
iii)	The project proponent shall obtain forest clearance under the provisions of Forest (Conversation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project	Noted and will be ensured. Construction work yet to be started
iv)	The project proponent shall obtain clearance from the National Board for Wildlife if, applicable	Not applicable
v)	The project proponent shall obtain Consent to Establish/ Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention &	CTE has been obtained from DPCC vide no. DPCC/CMC/2024/10515913 dated 05.02.2024 and valid till 16.01.2028 Copy of CTE is attached as Annexure-2.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee as per applicability	
vi)	The project proponent shall obtain the necessary permission for drawl of ground water/ surface water required for the project from the competent authority	Noted and will be ensured.
vii)	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained	Noted and will be ensured.
viii)	All other statutory clearance such as the approvals for storage of diesel from chief Controller of Explosives, Fire Department, and Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities	Noted and will be ensured.
ix)	The provisions of the Solid Waste (Management) Rules, 2016 e-Waste (Management) Rules, 2016 and the Plastics Waste (Managements) Rules, 2016 shall be followed	Noted and will be ensured.
x)	The Project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly	Noted and will be ensured.
II. Air Quality Monitoring and Preservation		
xi)	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.	Noted and will be ensured.
xii)	A Management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site	Noted and will be ensured.
xiii)	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM ₁₀ and PM _{2.5}) covering upwind and downwind directions during the construction period	Noted and will be ensured.
xiv)	Diesel power generating sets proposed as source of backup power should be of enclosed type of conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low Sulphur diesel. The Location	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	of the DG sets may be decided with in consultation with State Pollution Control Board	
xv)	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the buildings as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/ tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	Noted and will be ensured.
xvi)	Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution	Noted and will be ensured.
xvi)	Wet jet shall be provided for grinding and stone cutting	Noted and will be ensured.
xvi)	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust	Noted and will be ensured.
xix)	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules 2016	Noted and will be ensured.
xx)	The diesel generator sets to be used during construction phase shall be low Sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Noted and will be ensured.
xxi)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low Sulphur diesel shall be used. The locations of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms	Noted and will be ensured.
xxi)	For indoor air quality the ventilation provisions as per National Buildings Code of India.	Noted and will be ensured.
III. Water Quality Monitoring and Preservation		
xxi)	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water	
xxi	Building shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done	Noted and will be ensured.
xxv	Total fresh water use shall not exceed the proposed requirement as provided in the project details	Noted and will be ensured.
xxv	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports	Noted and will be ensured.
xxv	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users	Noted and will be ensured.
xxv	At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as previous surface	Noted and will be ensured.
xxi	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall done	Noted and will be ensured.
xxv	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan	Noted and will be ensured.
xxv	Separation of grey and black water should be done by the use dual plumbing systems. In case of Single stack system	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	separate recirculation lines for flushing by giving dual plumbing system be done	
xx)	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred	Noted and will be ensured.
xx)	The local bye-law provisions on rain water harvesting should be followed. If local byelaw provisions is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaw, 2016. Rainwater harvesting recharges pits/storage tanks shall be provide for ground water recharging as per the CGWB norms.	Noted and will be ensured.
xx)	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built-up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority	Noted and will be ensured.
xx)	All recharges should be limited to shallow aquifer	Noted and will be ensured.
xx)	No ground water shall be used during construction phase of the project	Noted and will be ensured.
xx)	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be approvals and the CGWA for any ground water abstraction or dewatering	Noted and will be ensured.
xx)	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and will be ensured.
xx)	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	gardening. As proposed, no treated water shall be disposed in to municipal drain	
xl)	No sewage or untreated effluent water would be discharged through storm water drains.	Noted and will be ensured.
xli)	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Treated waste water shall be reused on site for landscape, flushing, cooling tower, and other end-uses. Excess treated water shall be discharges as per statutory norms notified by Ministry of Environment, Forest and Climate Change. Natural treatment systems shall be promoted	Noted and will be ensured.
xlii)	Periodical monitoring of water quality of treated sewage shall be conducted, Necessary measures should be made to mitigate the odour problem from STP	Noted and will be ensured.
xliii)	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environment Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013	Noted and will be ensured.
IV. Noise Monitoring and Prevention		
xliiv)	Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB	Noted and will be ensured.
xlv)	Noise level survey shall be carried as per the prescribed guidelines and report in his regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report	Noted and will be ensured.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

xlv	Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources	Noted and will be ensured.
V. Energy Conservation Measures		
xlv	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC	Noted and will be ensured.
xlv	Outdoor and common area lighting shall be LED	Noted and will be ensured.
xlix	Concept of passive solar design that minimize energy consumption in building by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specification	Noted and will be ensured.
l)	Energy conservation measures like installation of CFLs/LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning	Noted and will be ensured.
li)	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-law's requirement, whichever is higher	Noted and will be ensured.
lii)	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted and will be ensured.
VI. Waste Management		
liii)	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted and will be taken.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

liv)	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approvals of competent authority	Noted and will be ensured. Construction yet to be started.
lv)	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and insert materials	
lvi)	Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg / person/day must be installed.	Noted and will be ensured. Construction yet to be started.
lvii)	All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers	Noted and will be ensured. Construction yet to be started.
lvii)	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board	Noted and will be ensured. Construction yet to be started.
lix)	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, compressed earth blocks, and other environment friendly materials.	Noted and will be ensured. Construction yet to be started.
lx)	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003 and 25 th January, 2016. Ready mixed concrete must be used in building construction	Noted and will be ensured. Construction yet to be started.
lxi)	Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016	Noted and will be ensured. Construction yet to be started.
lxii)	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing	Noted and will be ensured. Construction yet to be started.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	guidelines rules of the regulatory authority to avoid mercury contamination	
VII. Green Cover		
Ixii	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted)	We applied for transplant of few trees. Approval is awaited.
Ixiv	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted and will be ensured. Construction yet to be started.
Ixv	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e Planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provide as per the details provided in the project document	This will be ensured after getting the approval.
Ixvi	Topsoil should be stripped to a depth of 20cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designed areas and reapplied during plantation of the proposed vegetation on site	Noted and will be ensured. Construction yet to be started.
VIII. Transport		
Ixvii	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI) shall be prepared to include motorized, non-motorized, public and private networks Roads should be designed with these basic criteria. <ul style="list-style-type: none"> a. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. b. Traffic calming measures. c. Proper design of entry and exit points. 	Noted and will be ensured. Construction yet to be started.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	Parking norms as per local regulation	
lxv	Vehicles hired for bringing construction material to the site should be in goof condition and should have a pollution check certificate and should conform to applicable air and noise emission standard be operated only during non-pack hours.	Noted and will be ensured. Construction yet to be started.
lxi	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after that implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certificated by the State Urban Development department and the P.W.D/ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments	Noted and will be ensured. Construction yet to be started.
IX. Human Health Issues		
lxx	All workers working at the construction site and involved in loading, unloading carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask	Noted and will be ensured. Construction yet to be started.
lxx	For indoor air quality the ventilation provisions as per National Building Code of India	Noted and will be ensured. Construction yet to be started.
lxx	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented	Noted and will be ensured. Construction yet to be started.
lxx	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	Noted and will be ensured. Construction yet to be started.
lxx	Occupational health surveillence of the workers shall be done on a regular basis.	Noted and will be ensured. Construction yet to be started.

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

lxx	A First Aid Room shall be provided in the project both during construction and operations of the project	
X. Miscellaneous		
lxx	The project proponent shall prominently advertise it at least in two local newspaper of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed	This will be done. Copy of advertisement is attached as annexure-3 .
lxx	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt	Noted
lxx	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis	Noted and will be ensured.
lxx	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.	Noted and will be ensured.
lxx	The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringement/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/ deviation / violation of the environmental / forest/ wildlife norms/ conditions and/or shareholders/ stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report	Environment policy is attached as annexure-4 .
lxx	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel	Noted

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

	shall be set up under the control of Senior Executive, who will directly to the head of the organization	
lxx	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not be diverted for any other	Noted and will be ensured.
lxx	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and will be ensured
lxx	The project proponent shall inform the Regional Office as well as the Ministry/SEIAA, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted and will be ensured.
lxx	The project authorities must strictly adhere to the stipulations made by the State pollution Control Board and the State Government	Noted and will be ensured. Construction yet to be started.
lxx	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during public hearing and also that during their presentation to the Expert Appraisal Committee	Noted and will be ensured. Construction yet to be started.
lxx	No further expansion or modification in the plant shall be carried out without prior approval of the SEIAA/Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted and will be ensured.
lxx	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted
lxx	The conditions imposed specifically for any particular environmental safeguard will prevail over the standard conditions	Noted

Project Name;- VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE Plot No. 3, Press Enclave road Saket, Delhi -110017

Subject- Half yearly compliance report against the conditions of Environmental Clearance, vide. no- EC23B038DL110799 dated 17.10.2023

xc)	The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions in not satisfactory.	Noted
xcii	The SEIAA/Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions	Noted
xcii	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/ information/ monitoring reports	Noted
xcii	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Court and any other Court of Law relating to the subject matter.	Noted
xcii	Any appeal against this EC shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010	Noted



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpccocmms.nic.in>)



CONSENT ORDER

Certificate No. :G-36509

Name of the unit : VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE
Address : Saket, New Delhi, Health Care Facility, Delhi - 110017
Consent Order No : DPCC/CMC/2024/10515913
Date of issue : 05/02/2024
Product/Activity : Health Care Establishments
Manufacturing Activities : 359 Bedded Hospital
Category Name : [RED]
Product Capacity : 0 Metric Tonnes/Day

This Consent to **Establish** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **OTHER** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 10515913 valid from 19/01/2024 to 16/01/2028.**

Prem Swarup Pankaj
Senior Environmental Engineer
Digitally signed by Prem Swarup Pankaj
Date: 2024.02.05 14:09:18 +05'30'

Terms and Conditions

1. The Consentee shall meet the effluent prescribed standards i.e. pH= 6.5-9, Total Suspended Solids (TSS) 100, Biochemical Oxygen Demand (3 days at 27 degree Cent.) 30, COD 250, Oil and Grease 10, Bio Assay Test (Present survival of fish after 96 hours in 100% effluent) = 90-100 %.
All effluent parameters are in mg/l except pH value & Bio-assay test value.
2. The Consent is activity specific and based on the information provided in the consent application along with the documents/ subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ process.
3. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meters in this regard.
4. The Consentee shall display the Name of the unit/ HCF along with its Address, Name of the proprietor/ directors/ partners etc., Contact Phone No(s) and its Activities Processes/ Product etc., on a Display Board to be placed/ fixed at the main gate of the unit.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi.
7. During the construction phase, total water requirements are expected to be 6.75 KLD which will be met from bottled cans from local fresh water suppliers. During the construction phase, soak pits & septic tanks will be provided for disposal of waste water. Temporary sanitary toilets will be provided during peak labour force.
8. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
9. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest (MoEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:-
 - (i) Minimum 6 meter above the building where generator set is installed
 - (ii) 30 meter
 - (iii) $14Q^{0.3}$ (Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (up to 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2 (KVA)^{0.5}$ (H-Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).

10. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/ Preprocessors/ Authorized Agencies for such wastes, authorized by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.

11. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016 as amended to date, if applicable.

12. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.

13. The Consentee shall promote the use of LEDs and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.

14. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD-2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

15. During operational phase, total water demand of the project is expected to be approx. 480 KLD (229 KLD Fresh water from DJB & 251 KLD Treated / Recycled waste water) Total waste water generated will be 264 KLD which will be treated in proposed STP of 320 KLD & ETP of 23 KLD.

16. The zero waste water discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.

17. The treated wastewater shall be recycled and reused for Horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.

18. The project proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, Inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.

19. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis.

20. Capacity of the Diesel Generator Set(s) proposed to install in the unit shall be 3 D.G. sets, 3*1500 KVA. The Consentee shall provide and maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in

good condition and provide the adequate stack height for DG Set(s) to meet the prescribed standards/ norms. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets. The D.G. Sets installed for construction purposes shall also comply with the prescribed norms/standards. The consentee shall comply the direction no. 76 of CAQM.

21. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi.

22. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.

23. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.

24. During the construction Phase for control of dust pollution all precautionary measures should be ensured in compliance with Hon'ble National Green Tribunal order dated 04.12.2014 and 10.04.2015 in O.A. No. 21 c of 2014 and O.A. No. 95 of 2014 in the matter of Vardhman Kaushik Vs. Union India and other and Sanjay Kulshreshtha Vs. Union of India and Ors. and as notified by MoEF&CC, GOI vide Notification no. G.S.R. 94(E) dated 25.01.2018.

25. It will be the responsibility of the project proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ guidelines/ instructions/ Court Orders/ Tribunal Orders as applicable to this project before starting of the project.

26. The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016.

27. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF and CC, Govt. of India Delhi and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.

28. The Consentee shall not extract the GroundWater without obtaining prior permission in this regard from DJB / CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed / sealed with immediate effect till permission received from DJB / CGWA.

29. The Consentee shall submit an application for extension of the Consent / Consent to Operate, one month in advance of the expiry date of this Consent Order.

30. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent DPCC shall not be responsible in this regard in any manner.

31. Project Proponent is allowed to run the pollution control devices and collect and test the data. The trial

for these aforesaid purposes is permitted within the period of maximum three months from the date of completion. The Consentee shall give prior intimation, to DPCC, of the dates on which trial would start and end. Thereafter Project Proponent shall apply for Consent to Operate along with requisite details and test reports to DPCC.

32. The Consentee shall abide by the Guideline on Environmental Management of Construction and Demolition (C&D) Waste and Guidelines on Dust Mitigation Measure in Handling Construction Material and C&D waste developed and published by CPCB available at www.cpcb.nic.in

33. The Consentee shall ensure the compliance of policy to be followed regarding operation of Ready Mix Concrete Plants (RMC Plants) issued vide office order No. DPCC/CMC I/RMC/2017/2596 to 2614 dated 27.12.2017 (available at DPCC website).

34. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

35. Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.

36. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee/ unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

37. This issue in view of the Office Order dated 12.04.2016 regarding processing of the Consent to Establish cases.

38. The Consentee shall display the enclosed template of Notice for Construction and Demolition Waste Management at the site.

39. Template for displaying notice w.r.t. condition no 38 to be displayed on board of size 6 feet X 4 feet. Background color- Yellow, Letters- Black.

NOTICE

(Construction and demolition waste management rule 2016)

The construction/Demolition site is authorized by... Vide file no... Dated.....

1. Name and Address with contact number of contractor/developer
2. Address of the site
3. Area/length
4. Date of initiation of the project (dd/mm/yy)
5. Scheduled completion date of the project (dd/mm/yy)
6. Details date of completion/disposal/clearing of the site (dd/mm/yy)
7. Estimated waste (TPD)
8. Total estimated waste (MT) for the entire project
9. Nature of waste (concrete/iron/plastic/soil) (TPD)

10. Material Generated Recycled Reused Disposed Sand ----- Concrete -----

11. Identified waste disposal site

12. Mode of utilization of waste (reuse/recycle/convertng to construction material)

13. Mode of disposal

14. Mode of handling and transportation (manual/mechanical/pneumatic)(by road/rail)

15. Dust mitigation measures at the site (water sprinkling/curtain/barrister)

16. Reason of delay in disposing waste (in any)

17. Accidents reported (in any) Name of Agency Owner Telephone number



**CERTIFICATE FOR INCORPORATION OF
GREEN BUILDING FEATURES**

(To be submitted by Architect/ Engineer)


In respect of for Plot no. **Plot No. 3, FC-30**, situated at **SAKET Scheme New Delhi**
I/ We certify that the building plans submitted for approval satisfy the Green Building provisions given in CHAPTER 10, and the information given therein is factually correct to the best of my knowledge and understanding.

Signature of **Architect/ Engineer/Supervisor** _____

Name of **Architect/ Engineer/ Supervisor** **PULKIT RANA**

Address of **Architect** - **PLOT NO-520, 4TH FLOOR, SECTOR-19, DWARKA NEW DELHI-110078**

Date **06-09-2022**


PULKIT RANA, ARCHITECT
B.ARCH, M.ARCH. AIIA, MCA
CA/2014/63228

**PULKIT
T
RANA**

Digitally signed by
PULKIT RANA
DN: cn=PULKIT RANA
gn=PULKIT RANA
c=India l=IN
Reason: I am the
author of this document
Location:
Date: 2022-10-14
15:09+05:30



Signature of **Owner(s)** _____

Name of Owner(s) **VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTER TH. ITS AUTHORIZED SIGNATORY SH. PRADEEP KUMAR CHOWBEY**

Address of Owner(s) **PLOT NO-3, FC-30, PRESS ENCLAVE ROAD, SAKET, NEW DELHI-110017**

Date **06-09-2022**



**PRADEEP
KUMAR
CHOWBEY**

Digitally signed by PRADEEP
KUMAR CHOWBEY
DN: cn=PRADEEP KUMAR
CHOWBEY gn=PRADEEP
KUMAR CHOWBEY c=India
l=IN
Reason: I am the author of this
document
Location:
Date: 2022-10-14 15:09+05:30

Vikrant Children Foundation and Research Centre

Address: Office No. 1, Plot No. 3, FC-30, Press Enclave Road, Saket, New Delhi- 11001,
Email id-vikrantchildrenfoundation@gmail.com

“Certified true copy”

EXTRACT OF THE RESOLUTION OF THE MEETING OF THE GOVERNING BODY OF VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE (“SOCIETY”) HELD ON TUESDAY, OCTOBER 31ST, 2023 AT 1230 HRS TO 1315 HRS) MAX SUPER SPECIALITY HOSPITAL, NEW DELHI CONFERENCE ROOM, EAST BLOCK SERVICE FLOOR, NO. 1 & 2, PRESS ENCLAVE ROAD, MANDIR MARG, SAKET INSTITUTIONAL AREA, NEW DELHI-110017.

Take note of Environment Clearance and approval of Environmental Policy

An application for environmental clearance with respect to the proposed Hospital for Vikrant Children Foundation and Research Centre on land measuring 1.4 hectare in Saket, New Delhi was made to Delhi Pollution Control Board. The environmental clearance for the said hospital has been duly granted by Delhi Pollution Control Committee vide letter dated 16th October, 2023. The governing body took note of the following:

- 1) Environmental clearance received from the proposed hospital
- 2) Environmental Policy

The governing body passed the following resolution unanimously in this regard:

“**RESOLVED THAT** Environmental Clearance received from Delhi Pollution Control Committee for proposed hospital of Vikrant Children Foundation and Research Centre is hereby taken note record.


RESOLVED ALSO THAT consent of members of the Executive Committee of Vikrant Children Foundation and Research Centre (“the Society”) be and is hereby accorded for the Environmental Policy of the Society as placed before the Executive Committee.

RESOLVED FURTHER THAT a copy of this resolution be submitted with the Ministry of Environment, Forest and Climate Change duly certified by any two members of the Society.”

**For & On behalf of
Vikrant Children Foundation and Research Centre**



Dr. Vinay Aggarwal
(Member)



Ms. Rooja Joon
(Member)

Vikrant Children Foundation and Research Centre


Address: Office No. 1, Plot No. 3, FC-30, Press Enclave Road, Saket, New Delhi- 110017

Environmental Policy

As a responsible corporate, Vikrant Children Foundation and Research center is committed to continual improvement of our environmental practices and adoption of renewable sources.

To achieve this, we are committed to:-

- Comply with all applicable legal and other requirements related to environment
- Progressively develop, implement and maintain environmental management system in our operations and new projects.
- Strengthen environmental awareness among all stakeholders including employees, contractors, key business partners and communities to broaden our understanding of environmental priorities.
- Eliminate, minimise and control the impact on the environment by adopting 3Rs (Reduce, Reuse and Recycle)
- Take initiatives towards efficient use of natural resources and energy; reduction and prevention of pollution; Prevention of pollution and promoting waste avoidance.
- Ensure environmental and sustainable growth as a goal within all areas of our business.
- Monitor, measure, report the progress, performance of environmental conservation and management initiatives.

A handwritten signature in blue ink, appearing to read "Anurag", is written over a horizontal line.

WEATHER

FORECAST

Mainly clear sky
SUNRISE: 6.34 am
SUNSET: 5.49 pm

TEMPERATURE

DELHI
Max: 32°C **Min:** 16°C
GURUGRAM
Max: 30.9°C **Min:** 16.6°C
FARIDABAD
Max: 31°C **Min:** 18°C
NOIDA
Max: 31°C **Min:** 18°C

HELPLINE

Emergency response: 112
Women Helpline: 1091
Special cell (Northeast): 1093
Missing person: 1094
Vigilance: 1064
Senior citizens: 1291
Cyber complaints: 1930
Traffic issues: 1095



Murmu, Modi lead Dasehra celebrations

Urge countrymen to follow Lord Rama's principles; Sonia, Kejriwal also extend wishes

TRIBUNE NEWS SERVICE

NEW DELHI, OCTOBER 24
 President Droupadi Murmu on Tuesday attended the Dasehra celebrations at ground opposite the Red Fort in the Capital.
 With the Prime Minister Narendra Modi and former Congress president Sonia Gandhi also joined the celebrations at different venues in Delhi.
 While, PM Modi attended celebrations at Ram Leela Maidan in Dwarka Sector 10 and Sonia Gandhi took part in the celebratory effigy burning of Ravana at the Red Fort's Nav Shri Dharmik Leela Committee Grounds.
 The President, while addressing the gathering, said, "The teachings of Ramayana have been relevant in the past, present and will continue to be relevant in the future."
 "Today, also we are facing Ravana-like challenges in the form of corruption, inequality, illiteracy, pollution and terrorism," the



President Droupadi Murmu takes an aim at the Ravana effigy in a symbolic gesture during the Dasehra celebration at Red Fort Ground in New Delhi on Tuesday. TRIBUNE PHOTO: MANAS RANJAN BHUI

President said. President Murmu said the ideals of Lord Rama can help the country to deal with these challenges. The people of the country can get together to defeat the Ravana of the present time, she added.
 She said, "In this fight, a farmer working on the farms and a soldier on the border are as necessary as a scientist working in a

laboratory or a politician taking important policy decisions in Delhi."
 The President further said, today at Vijay Dashmi, I pray to Lord Rama that our dream of India becoming a developed nation by 2047 also gets fulfilled.
 Prime Minister Narendra Modi said Vijay Dashmi symbolises victory of justice over injustice, humility over arrogance and

patience over anger. Modi said, "We know 'maryada' (boundaries) of Rama as well as also how to defend our borders."
 He emphasised on staying vigilant against those who disturb social harmony, casteism and regionalism and selfish thinking instead of development of the country.
 Delhi Chief Minister Arvind Kejriwal also joined the celebrations at Luv

TIME TO WORK AS TEAM

"Today also we are facing Ravana-like challenges in the form of corruption, inequality, illiteracy, pollution and terrorism. In this fight, a farmer working on the farms and a soldier on the border are as necessary as a scientist working in a laboratory or a politician taking important policy decisions in Delhi."
 President Droupadi Murmu

TRIBUNE NEWS SERVICE

NEW DELHI, OCTOBER 24
 Delhi's Air Quality Index (AQI) improved marginally on Tuesday but remained in the 'poor' category.
 The city's AQI stood at 220, according to the Central Pollution Control Board (CPCB) at 4 pm.
 The minimum temperature dipped by a degree to 16.1°C, while, maximum temperature stood at 32.4°C, according to the Indian Meteorological Department.
 At Anand Vihar, the AQI was recorded at 252 and at North Campus it remained similar at with PM2.5 at 248 and PM10 at 157.
 However, at PUSA with PM2.5 concentration at 137 and PM10 at 110, the AQI stood at 315 under 'very poor' category. The Capital saw the AQI depreciating to 'very poor' category on Sunday for the first time since May. The Commission for Air Quality Management (CAQM) on Saturday had invoked Stage-II of Graded Response Action Plan.

Stands at 220; minimum temperature dips by a degree



An anti-dust gun sprays water droplets to curb air pollution. ANI

Delhi Environment Minister on Monday, addressing a press conference, said as the past winter months had seen deteriorating air quality, the next 20-25 days in Delhi can turn bad.
 He had also said that due to low wind speed and dropping temperature will lead to an increase in air pollution.

SCRAPPING POLICY

935 old vehicles seized in Faridabad

BIJENDRA AHLAWAT
 TRIBUNE NEWS SERVICE

FARIDABAD, OCTOBER 24
 As many as 935 old vehicles, which had completed the prescribed period of 10 and 15 years since registration have been impounded since January 1, 2021.

The move is aimed at curbing the movement of old vehicles as per the Vehicle Scrapping Policy that was launched three years ago.

According to the officials of the Traffic Police Department, 133 vehicles have been impounded this year till September while 74 and 728 vehicles were impounded in 2022 and 2021, respectively. The impounded vehicles include 226 diesel vehicles and 709 petrol vehicles.

A senior police official said diesel vehicles which have been running for more than 10 years and petrol vehicles older than 15 years were being impounded under the drive as per the guidelines and norms announced to reduce pollution in the NCR. The official said the primary goal of the policy was to create an ecosystem for phasing out unfit and polluting vehicles to achieve a lower carbon footprint in the country.



A truck without a registration plate on a Faridabad road. FILE PHOTO

YEAR-WISE DATA		709 PETROL-RUN
Year	No. of vehicles	The impounded vehicles include 226 diesel vehicles and 709 petrol vehicles as they had completed 10 & 15 years, respectively.
2023 (till Sept)	133	
2022	74	
2021	728	

Owners of such vehicles can avail rebates and discounts in the form of motor vehicle tax or registration fees, including scrapping incentives of up to 25 per cent rebate on the registration of a new vehicle.

On the other hand, there is also a provision of charging a higher fitness fee for vehicles being used beyond the prescribed period of 10 and 15 years as per the Central Motor Vehicles Rules.

The violators can be fined with an environment compensation at a rate of Re 1 per CC on old vehicles at the time of fitness testing as well as road risk charge

at Re 1 per CC, said Sube Singh, spokesperson, Police Department.

SK Sharma, Coordinator of an NGO, Road Safety Organisation, said the violation of safety and pollution norms was a cause for concern in the area. "There is no scrapping centre here and the exact figure of old vehicles is yet to be revealed," he added.

Jitender Kumar, Secretary, Regional Transport Authority, said the impounded vehicles would be shifted to the scrapping centre in Nuh district as such a facility for was yet to come up here.

Head Constable, others duped of ₹1 cr in Gurugram

GURUGRAM, OCTOBER 24

A head constable was duped of Rs 11 lakh on the pretext of better return on investment by a group of miscreants.

The complainant, Head Constable Devendra Kumar, alleged that suspects, namely Manish Kasana, Lalit, Shubham Chaudhary, Ajay Pratap, Rahul Malik, Rajesh Kumar, colluded to commit the fraud. The suspects are said to be residents of Duloth village in Mahendragarh district.

"The suspects had opened an office named Infinity Grow in the JMD Megapolis building on Sohna Road. They lured people with 18 to 20 per cent profit on investment per month. They have taken around Rs 1 crore from different people and ran away 15 days back. They also threatened to kill me. I had invested Rs 11 lakh," the head constable said in his complaint.

Following the complaint, an FIR was registered under relevant sections of the IPC at the Sector 40 police station on Monday. "We are investigating the matter and the suspects will be arrested soon," said Inspector Surender Singh. — OC

Festive hues



Women participate in 'Sindoor Khela' on the last day of Durga Puja at Arambagh in New Delhi. TRIBUNE PHOTO: MANAS RANJAN BHUI

13,013 police posts to be filled by July: L-G office

TRIBUNE NEWS SERVICE

NEW DELHI, OCTOBER 24
 Delhi Lieutenant-Governor VK Saxena on Tuesday pushed for filling 13,013 permanent posts in various junior ranks of the Delhi Police by July 2024.

An official at the Raj Niwas said, of the 13,013 posts, 3,521 are in advanced stage of recruitment and are expected to be filled by December 2023.

Since taking over Saxena held a series of meet-

ings and directed for filling up vacant positions and also gave direction to recruit sufficient number of female candidates in various positions, the official added.

An official added that the vacancies were advertised and written exams, physical endurance and measurement test (PE&MT), typing

tests were conducted.

"The posts being filled include at total of 835 head constables with 559 males and 276 females. 1,411 male constable drivers and a total of 857 assistant wireless operator/tele-printer operators (AWO/TPO) including 573 males and 284 females," an official said.

It also includes 418 technical posts of photographers, draftsmen, store clerks, fitters, mast laskers, MT helpers, MT storemen, statistician, assistants,

radio technician and workshop hands, etc. in various ranks that require for trade / skill test to be conducted, are also being filled, LG office official added.

"In addition to this, 840 multi-tasking staff is also being filled. Of the recruitments being made by the Staff Selection Commission, 11,214 are in different stages of being filled up and 1,799 vacancies are to be advertised soon for recruitment," a Lieutenant-Governor official said.

Fake nursing attendants 'duping' senior citizens held

NEW DELHI, OCTOBER 24

The Delhi Police Crime Branch on Tuesday said it has arrested two men for allegedly posing as nursing attendants to rob ailing senior citizens of their valuables, police said.

The accused, Rinku Kumar alias Ankit Kumar alias Kallu (33) and Pramod Kumar (38) were arrested from their respective houses in Greater Noida and Bulandshahar of Uttar Pradesh on Monday.

The duo used to steal valuable items from the senior citizens in the garb of providing nursing attendant services at the patients' residences, Special Commissioner of Police

(Crime) Ravindra Yadav said. Earlier this month, Rinku Kumar targeted an 85-year-old person in Patel Nagar by introducing himself as one Ankit Kumar and claiming to be a nursing attendant. He was employed on October 9 and fled away with cash and jewellery on October 11, Yadav said.

During interrogation, Rinku disclosed that used to retrieve the details of their potential victims through Justdial, a search engine directory. They used to target people looking for nurses for their elderly parents or ailing family members, the police said. — PTI

Firm director accused of over ₹2 cr fraud held

NOIDA, OCTOBER 24

The director of a construction company accused of cheating a builder of over Rs 2 crore was on Tuesday arrested by the Noida police from the Delhi Airport upon landing from the United Kingdom, officials said.

Shravan Kumar Chaudhary (52) has allegedly cheated the builder of Rs 2.33 crore on the pretext of selling a property, the officials said.

Chaudhary, a resident of Patparganj in Delhi and director of Gujara Construction private limited, had gone to London around 10 days ago, Additional DCP (Noida) Shakti Mohan Avasthy said.
 "An FIR was registered at the Phase 1 police station in Noida against Chaudhary on charges of cheating of Rs 2.33 crore. A look-out circular was also issued against him. Today, the Noida police arrested him from the Delhi airport when he returned from the UK," Avasthy said. — PTI

Pre-primary education gets boost in G'gram

SUMEDHA SHARMA
 TRIBUNE NEWS SERVICE

GURUGRAM, OCTOBER 24
 The government has started 104 playschools in Gurugram from March this year.

As many as 1,500 students have enrolled in these playschools, which are equipped with latest technologies and trained teachers. A majority of these schools have been set up in rural areas.

Deputy Commissioner Nishant Yadav said, "Different government initiatives so far have been aimed at providing affordable education at primary, secondary and senior secondary levels. But, there has been a lack of affordable pre-primary facilities."

He said many parents with limited means would often complain about the lack of affordable institutions for pre-primary education for their children. These schools were opened to bring these children on par with others. The Deputy Commissioner said that several private



firms have shown interest in adopting and upgrading these schools under the corporate social responsibility (CSR) scheme.

It is pertinent to mention here that a technology-based firm has adopted 20 of these schools and spent Rs 32 lakh to purchase latest educational equipment.

The local administration has also asked panchayats to come forward and adopt these schools in their villages and aid in their maintenance and upgradation.

The administration has also put HCS officers as in-charges of five to seven schools each. The officers have been asked to regularly visit these playschools and update the administration on their progress. Besides, the schools have tied up with many NGOs to facilitate enrolment of children. Suman Dhingra, member of a local parent-teacher association, said, "In a city

TECH FIRM ADOPTS 20

Several private firms have reportedly shown interest in adopting and upgrading these schools under the corporate social responsibility (CSR) scheme.

A technology-based firm has adopted 20 of these schools and spent ₹32 lakh to purchase latest educational equipment.

<< Students at a government playschool in Gurugram.

Snatching bid foiled, 1 held

OUR CORRESPONDENT

GURUGRAM, OCTOBER 24
 A bike-borne snatcher was caught after his vehicle skidded after snatching a mobile phone from a man in the Udyog Vihar area.

The complainant, Triloki Mehto, said the incident took place when he was going to his company located in Udyog Vihar phase 3 from his house in Dunda-hera village on Monday.

"While I was going to the company, a bike rider came from behind and snatched my mobile. In his pursuit to run away, the bike went out of control. I caught him with the help of people and informed the police. A police team reached the spot and nabbed the accused," Mehto said in his complaint.

According to the police, an FIR was registered and the suspect was arrested. The suspect has been identified as Sahabuddin, a native of Bihar. He sustained injuries also after falling down from his bike.

VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE

Public Notice
ENVIRONMENTAL CLEARANCE

It is for the information of the General Public that VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE has been granted Environmental Clearance by SEIAA, Delhi for VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE located at Plot No. 3, Press Enclave road Saket, Delhi -110017 vide EC Identification No. EC23B038DL110799 & File No. DPCC/SEIAA/IC-443/DL/2023 dated 17/10/2023.

The copy of the Environmental Clearance along with the conditions to be complied is available with Environmental Clearance Parivesh portal and the Project Proponent VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE.

The interested person can also contact the following:
 VIKRANT CHILDREN FOUNDATION AND RESEARCH CENTRE
 Plot No. 3, Press Enclave road Saket, Delhi -110017



