

Date-25th Oct 2025

To

The Scientist E,
Ministry of Environment, Forest and Climate Change,
Regional office (NCZ), 25, Subhash Road,
Dehradun-248001 Uttarakhand

Sub: - Submission of Half Yearly Compliance report (Period April 2025- Sept 2025) with respect to the stipulated conditions of Environment Clearance ref. no. F.No.21-315/2017-IA-III dated 31st May 2018.

Dear Sir,

Greetings!!

With reference to your letter No- NC-RO/ENV/CON/UK/52/2018/113 Dated 24/04/2019, we are forwarding herewith (Attached) the Half Yearly Compliance report (Period April 2025- Sept 2025) with respect to Environment Clearance ref. no. F.No.21-315/2017-IA-III dated 31st May 2018 granted us for the modernization Project "Max Health Care Institute at Plot no 165-166, Malsi, Dehradun, Uttarakhand.

Kindly acknowledge the same.

Thanking you in anticipation.


Dr Sandeep Tanwar, Sr VP Operations
Senior Vice President
Hospital Operations
Max Super Speciality Hospital
Malsi, Mussoorie Diversion Road
Dehradun - 248001

Half Yearly Compliance Report for period of Apr'25 – Sep' 25


S.No.	Items	Details
1	Name of Project	Max Super Speciality Hospital- Dehradun.
2	Address of project authorities	Project Address : Plot No. 165-166, Malsi, Dehradun Corresponding Persons Max Super Speciality Hospital at Dehradun. Email: Sustainability@maxhealthcare.com
3	Environment Clearance letter no. & Date	F.No.21-315/2017-1A-III, Dated on 31 May 2018.
4	Status of Project	Completed.

Pointwise compliance: -

S. N.	Conditions	Status of compliance
1	There will be no changes in the project/activities for which environmental clearance has been earlier issued.	Agreed
2	STP shall be established and operated only after obtaining Consent to Establish and Operate under the Pollution Control laws.	We have completed the project as per the stipulations mentioned in the Environmental Clearance (EC) and have also obtained the Consent to Operate (CTO). The details of the CTO are as follows; CTO no-UKPCB/HO/Con/M-119/2023/374 Validity- 30-09-2025 Copy of the approved CTO is attached as annexure-1.
3	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan	A detailed traffic assessment of 5 KM radius has been done and a copy has been submitted in MDDA and PWD for their kind consideration and approval. Approval is awaited. Acknowledgment copies are attached as annexure-2.


Sandeep Singh Tanwar
Senior Vice President
Hospital Operations
Max Super Speciality Hospital
Malsi, Mussoorie Diversion Road
Dehradun - 248001

	shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments																						
4	As proposed, total fresh water requirement shall not exceed 132 KLD and shall be met by Uttarakhand Jal Sansthan.	<p>The total fresh water requirement does not exceed 132 KLD. The consumption data for the last six months is tabulated below.”</p> <table border="1"> <thead> <tr> <th>Months</th> <th>Total consumption (KLD)</th> <th>Per day consumption as average basis (KLD)</th> </tr> </thead> <tbody> <tr> <td>April-25</td> <td>2782</td> <td>92.74</td> </tr> <tr> <td>May-25</td> <td>2967</td> <td>95.71</td> </tr> <tr> <td>June-25</td> <td>2877</td> <td>95.9</td> </tr> <tr> <td>July-25</td> <td>2979</td> <td>96.1</td> </tr> <tr> <td>Aug-25</td> <td>2953</td> <td>96.22</td> </tr> <tr> <td>Sep-25</td> <td>2837</td> <td>94.57</td> </tr> </tbody> </table>	Months	Total consumption (KLD)	Per day consumption as average basis (KLD)	April-25	2782	92.74	May-25	2967	95.71	June-25	2877	95.9	July-25	2979	96.1	Aug-25	2953	96.22	Sep-25	2837	94.57
Months	Total consumption (KLD)	Per day consumption as average basis (KLD)																					
April-25	2782	92.74																					
May-25	2967	95.71																					
June-25	2877	95.9																					
July-25	2979	96.1																					
Aug-25	2953	96.22																					
Sep-25	2837	94.57																					
5	A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	We are utilizing the STP-treated recycled water for non-potable purposes such as flushing, gardening, and cooling. The water balance is enclosed as annexure-3 .																					
6	A prior permission of the CGWA for abstraction of ground water and for basement/excavation dewatering shall be obtained.	The fresh water requirement is being met through the public water supply and recycled STP water. No groundwater is being used.																					
7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted.	The sanctioned power load is sufficient to meet the current requirements. In case any additional load is required in the future, the necessary approvals will be obtained accordingly.																					
8	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point shall be obtained.	We are utilizing the STP-treated water for flushing, gardening, and cooling tower operations. No treated wastewater is being discharged into the sewer or any other outlet. In case treated effluent needs to be discharged into the sewer in the future, the necessary approval will be obtained beforehand.																					
9	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their	We have a valid agreement with the authorized solid waste disposal facility, and there is no issue from their end regarding waste collection.																					


 Dr. Sandeep Singh Tanwar
 Senior Vice President
 Hospital Operations
 Max Super Speciality Hospital
 Malei, Mussoorie Diversion Road
 248001

	adequacy to cater to the M.S.W. generated from project shall be obtained.	A copy of the agreement is attached as Annexure-4																								
10	A fresh Environmental Clearance shall be taken for any changes in the project components that may arise out of the anticipated increase in the number of patients and the handling of wastes thereof.	Noted and will be ensured.																								
11	As per the Ministry's Office Memorandum F.No.22-65/2017-IA.III dated 1st May 2018, the project proponent is required to prepare and implement Corporate Environment Responsibility (CER) plan. As per the said O.M., funds @ 1.0% of the total project cost shall be earmarked for the activities proposed under CER. The activities proposed under CER shall be restricted to the affected area around the project.	<p>We are submitting the details of recurring cost of environment management plan as tabulated below;</p> <table border="1"> <thead> <tr> <th>S.N</th> <th>Description</th> <th>Cost (Rs. in Lacs/ Year)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Landscaping/Green Belt</td> <td>10.28</td> </tr> <tr> <td>2</td> <td>STP / Waste water treatment</td> <td>30</td> </tr> <tr> <td>3</td> <td>Rain water harvesting</td> <td>0.50</td> </tr> <tr> <td>4</td> <td>Environmental Monitoring</td> <td>5</td> </tr> <tr> <td>5</td> <td>Solid Waste Management</td> <td>3</td> </tr> <tr> <td>6</td> <td>Solar & energy conservation</td> <td>5</td> </tr> <tr> <td>7</td> <td>Other</td> <td></td> </tr> </tbody> </table>	S.N	Description	Cost (Rs. in Lacs/ Year)	1	Landscaping/Green Belt	10.28	2	STP / Waste water treatment	30	3	Rain water harvesting	0.50	4	Environmental Monitoring	5	5	Solid Waste Management	3	6	Solar & energy conservation	5	7	Other	
S.N	Description	Cost (Rs. in Lacs/ Year)																								
1	Landscaping/Green Belt	10.28																								
2	STP / Waste water treatment	30																								
3	Rain water harvesting	0.50																								
4	Environmental Monitoring	5																								
5	Solid Waste Management	3																								
6	Solar & energy conservation	5																								
7	Other																									


Sandeep Singh Tanwar
 Senior Vice President
 Hospital Operations
 Max Super Speciality Hospital
 Malsi, Mussoorie Diversion Road
 Dehradun - 248001

To,

Date -28th Oct 2020

The Chief Engineer PWD
Dehradun Krishan Nagar Road
Yamuna Colony, Khurbura Mohalla
Dehradun, Uttarakhand 248001

Sub: Request for Validating Traffic Impact Assessment Report of 5 Km radius from Project Max Healthcare Institute Ltd. at Khasra No. 165-166, Mussoorie Diversion Road, Malsi, Dehradun.

Dear Sir,


We wish to inform you that we have obtained the Environmental Clearance for the Modernization of existing Max Healthcare Institute Ltd. at Mussoorie Diversion Road, Malsi, Dehradun. The said expansion was for increasing the capacity of STP and DG sets only. (Copy of Environmental Clearance is attached as **Annexure-1**).

In this, there is a specific condition which says to validate and certify the traffic plan which we had already submitted it in your office on 15/03/2018.

(A detailed Traffic assessment, conducted by TPA Engineering Consultancy (I) Pvt. Ltd. (Traffic Consultant) is attached as **Annexure 2**)

In view of the above we hereby request you to kindly review the traffic report and validate the same & give necessary approval.

Thanking You, Yours Faithfully,



Dr. Sandeep Singh Tanwar
VP -Operations
Vice President (Operations)
Max Super Speciality Hospital
Malsi, Mussoorie Diversion Road
Dehradun - 248001



Copy to - The Secretary, Mussoorie Dehradun Development Authority (MDDA) for necessary Approval.



To,

Date -28th Oct 2020

The Secretary,
Mussoorie Dehradun Development Authority
(MDDA)
Dehradun, Uttarakhand 248001

Sub: Request for Validating Traffic Impact Assessment Report of 5 Km radius from Project Max Healthcare Institute Ltd. at Khasra No. 165-166, Mussoorie Diversion Road, Malsi, Dehradun.

Dear Sir,


We wish to inform you that we have obtained the Environmental Clearance for the Modernization of existing Max Healthcare Institute Ltd. at Mussoorie Diversion Road, Malsi, Dehradun. The said expansion was for increasing the capacity of STP and DG sets only. (Copy of Environmental Clearance is attached as Annexure-1).

In this, there is a specific condition which says to validate and certify the traffic plan which we had already submitted it in your office on 15/03/2018

(A detailed Traffic assessment, conducted by TPA Engineering Consultancy (I) Pvt. Ltd. (Traffic Consultant) is attached as Annexure 2)

In view of the above we hereby request you to kindly review the traffic report and validate the same & give necessary approval.

Thanking You, Yours Faithfully,



Dr. Sandeep Singh Tanwar
Vice President (Operations)
Max Super Speciality Hospital
Malsi, Mussoorie Diversion Road
Dehradun - 248001

VP - Operations

Copy to - The Chief Engineer PWD Dehradun Krishan Nagar Road Yamuna Colony, Khurbura Mohalla Dehradun, Uttarakhand for necessary information.



Agreement No: MHIL/DDN/RC/HK/2025-26/03-A (Amended)
Dated: 01.09.2025

To,

M/s Shivalik Educational Social Welfare & Human resource Society,
Shivalik Enclave, Lane No. - 2, Kargi
Dehradun (U.K.) 248001

Kind Attn: Mr. Uttam Singh Rawat (9760335666, 8272030678)

E-mail id - shivalikgroupdoon@gmail.com

Sub.: Agreement for the Collection, Transportation & Disposal of General Waste from Max Hospital, Dehradun. (2 Vehicles Per day).

Reference Documents: Authorization Letter of Nagar Nigam, D. Dun & existing contract.

Dear Sir,

This is with reference to your offer and authorization letter of Municipal Corporation of Dehradun & our subsequent discussion, please note that from few days, the frequency of General Waste in our Hospital is going on higher site, so we require 2 Vehicles per day (One in the Morning & One in the Evening) to control the same and maintain the Cleanliness in the Hospital. So, we are pleased to amend the agreement for collection, Transportation & Disposal of General Waste from Max Hospital, Dehradun on the following Terms & Condition :-

1. M/s Shivalik Educational Social Welfare & Human Resource Society is engaged in the General Waste Management, providing requisite services for collection, transportation & disposal of General Waste.

2. M/s Shivalik Educational Social Welfare & Human Resource Society is duly authorized by Municipal Corporation, Dehradun (U.K.) for subject service i.e. collection, transportation and disposal of General Waste under the supervision of Nagar Nigam, Dehradun.
3. M/s Shivalik Educational Social Welfare & Human Resource Society will collect General Waste (Solid Waste) from Max Hospital, Dehradun on daily basis.
4. Monthly charges of collection, transportation & disposal of General Waste will be Rs. 25000/- Per Month (Rs. 12500 X 2 Vehicles Per day) (Tax Inclusive).
5. Payment will be released within 30 days after submission of Invoice.
6. In Case of any absent, Rs. 500/- per day will deduct from Invoice.
7. Validity of the agreement is 1 year (From 1st Sep. 2025 to 31th Aug. 2026).
8. Both parties can terminate the contract with 2 month prior notice.
9. No other hidden charges will be considered here.
10. The Collection, Transportation & Disposal of General waste will be as per the rules and regulation of the Pollution Control Board and General Waste Management Policy.

Thanking You

Yours Sincerely

Authorized Signatory

Max Healthcare Institute Ltd



Service Provider

Shivalik Educational Social Welfare &
Human Resource Society

